



Crûg
Farm
Plants

2007

Robin Lane Fox writes:
“Every keen gardener knows
that Crûg Farm is utterly
special. Many would still say
that the range here is the
outstanding nursery collection
of its kind in Britain.”

THE FINANCIAL TIMES

Clare Foster writes:
“One of the reasons that
Bleddyn and Sue are so
successful is their combined
ability to select plants that they
know will be popular.”

HOUSE & GARDEN

Stephen Lacey writes:
“Bleddyn Wynn-Jones, who
runs the mouth watering
Crûg Farm Plants nursery near
Caernarfon, North Wales is
one of our best-known modern
day plant-hunters, responsible
for introducing such as
Schleffera taiwaniana, probably
the best new hardy foliage
shrub of recent times.”

THE DAILY TELEGRAPH



Welcome to our 2007 plant list jam-packed with new temptations, which we trust will entice you to grow even more of our treasures. Naturally we would like to take the opportunity to thank all of our calling and mail-order customers for your support

throughout 2006. With a special thanks to our hard working staff who made everything possible.

Please note the lay-out of the following list without repetition of collected plants, (**etc** signifying more available) the full list and descriptions are on our web-site where space is unlimited. **www.crug-farm.co.uk** Here there are not only descriptions of all of our plants, but photographs of most as well, this information is also accessible on the computer in our sales-area. While the emphasis on this years additions is on Japanese plants gathered on our 2005 expedition to the northern half of the country. There are plenty of our other new collections from the Americas and Asia. Please refer to the back pages of this list for their details although there is not the space to discuss all of them. For a full listing of all our available plants (including additional to this list) may we refer you to our web-site.

We returned to Japan for the second year running last autumn, although the seed set was not as abundant as 2005, the quality made up for the lack of quantity. Again we set ourselves far too ambitious an area to cover, from Chiba in the north to Yakushima in the far south. As before we were assisted by Tomoko Nishiwaki, who will be grateful of a rest after a second year of helping us. As the weather changed in Japan, we headed south for another look at the north of Vietnam. Teaming up with Peter Wharton and his wife Sarah from Vancouver Botanic Gardens BC. This time I had been able to arrange special permits for some very sensitive/remote areas, which turned out to be phenomenal, packed with ornamental plants that have not been cultivated before. Unfortunately we returned home to devastation, with many of our tunnels wrecked by storms and falling trees as well as two barns burnt to the ground!

Mail order finally arrives ... for those of our customers who are unable to visit the nursery we are offering an online shopping experience, with deliveries throughout the UK and Ireland only, from **www.mailorder.crug-farm.co.uk** Where there are search facilities by many criteria as well as by name (i.e. colour), as well as indicating pot sizes and price. For queries on plant availability etc contact Sue at **mailorder@crug-farm.co.uk** All of this is in addition to our online catalogue **www.crug-farm.co.uk** which is still there with information and photographs of all the plants we sell during the year. Last year gave us the opportunity to iron out inevitable problems with starting a new venture, which hopefully we have done. Our carrier, City Link offer an overnight fragile service, which should have your plants delivered in fresh condition before 5pm the following day to dispatch. We have specially made boxes in 3 sizes giving us the option of dispatching plants from 30cm (1ft) to 249cm (8ft) tall. Our carriage charges are by **the box**, (volume not

weight) hence please consider ordering enough plants to fill a box, rather than one plant as the carriage charge would be the same. There is no minimum charge for the plants purchased.

We try our best to reply to any queries, but unfortunately we are overwhelmed by sheer numbers. E-mail can be the surest way of a brief reply. That apart we still prefer to meet our customers in person, we feel more than justified in claiming that a visit to our constantly expanding display gardens repays the effort of travelling to our beautiful North Wales site. However we feel that we should forewarn our customers that as the season progresses many of our lines will be out of stock.

Bleddyn

Collector's References

These combinations of initials and numbers are accession numbers that are assigned to collections we and others gather from wild populations from all over the world. These are assigned to each collection as they are made to enable interested parties to track their origins. The list of initials below are those assigned to our own collections as well as a few other collectors we introduce plants from.

- BSSS Crûg Expedition, Jordan 1991
- BSWJ Bleddyn & Sue Wynn-Jones
- BWJ Bleddyn Wynn-Jones
- CNDSC C. Nelson & D. Sayers
- DJH Daniel J. Hinkley
- EDHCH Eric Hammond, China 1997
- GWJ Goddard, B. & S. Wynn-Jones
- HWJ Crûg Heronswood Joint Expeditions, Vietnam
- HWJCM Crûg Heronswood Joint Expedition, E. Nepal 1995
- HWJK Crûg Heronswood Joint Expedition, E. Nepal 2002
- RWJ Crûg / Rickard's Ferns Joint Expedition to Taiwan 2003

Abbreviations

- aff. affinity to
- etc additional collections available
- f. forma
- sp. species ssp. subspecies
- × hybrid
- v. variety

		A	
(<i>Araliaceae</i>)	Acanthopanax		hypoleucus BSWJ5532
	-		aff. nikaianus BSWJ5027
	-		sciadophylloides BSWJ4728
	-		senticosus v. koreanus BSWJ4568
	-		sessiliflorus BSWJ4528 etc
	-		sp. BWJ7713
(<i>Aceraceae</i>)	Acer		campbellii BWJ7685
	-		- v. fansipanense BSWJ8270 etc
	-		- ssp. flabelatum BWJ8057
	-		capillipes BSWJ10845 etc
	-		carpinifolium BSWJ10955 etc
	-		caudatifolium BSWJ7053
	-		caudatum GWJ9279 etc
	-		circinatum BSWJ9565
	-		cissifolium BSWJ10801
	-		crataegifolium BSWJ11036
	-		davidii BWJ8162 etc
	-		forestii BWJ7515
	-		kawakamii BSWJ6734 etc
	-		laxiflorum HWJK2240
	-		morifolium BSWJ10959
	-		morrisonense BSWJ6710 etc
	-		oblongum HWJK2422
	-		- v. concolor HWJ869
	-		okomotoanum BSWJ8516
	-		oliverianum ssp. formosanum BSWJ6773 etc
	-		palmatum v. coreanum BSWJ8606
	-		- v. micro-sieboldianum BSWJ8766
	-		phlebanthum BSWJ9751 etc
	-		pseudosieboldianum BSWJ8746 etc
	-		rubescens BSWJ6735
	-		serrulatum BSWJ6760 etc
	-		aff. sikkimense HWJK2040
	-		aff. sterculiaceum GWJ9317
	-		takesimense BSWJ8500 etc
	-		tegmentosum BSWJ8421
(<i>Berberidaceae</i>)	Achlys		japonica
	-		triphylla
(<i>Ranunculaceae</i>)	Aconitum		albo-violaceum v. albiflorum BSWJ4105 etc
	-		arcuatum BSWJ774
	-		austroyunnanense BSWJ7902
	-		bartlettii BSWJ337
	-		carmichaelii v. truppelianum HWJ732
	-		chiisanense BSWJ4446
	-		episcopale
	-		ferox from Nepal HWJK2217
	-		fukutomei var. formosanum BSWJ3057
	-		hemsleyanum
	-		jaluense BSWJ8741

- (*Ranunculaceae*) *Aconitum* japonicum ssp. subcuneatum
BSWJ6228
- laciniatum GWJ9254
 - longecassidatum BSWJ8486 etc
 - aff. nagarum BWJ7644
 - napiforme BSWJ943
 - proliferum BSWJ4107
 - pseudolaeve BSWJ8663
 - v. erectum BSWJ8466
 - seoulense BSWJ694 etc
 - sp. from Burma CNDS036
 - sp. from Northern India
GWJ9393 etc
 - spicatum GWJ9418 etc
 - uchiyamai BSWJ1005 etc
 - yamazaki
- (*Ranunculaceae*) *Actaea* alba
- arizonica
 - asiatica from China BWJ8174 etc
 - from Japan BSWJ6351 etc
 - from Korea BSWJ4546 etc
 - biternata BSWJ5591 etc
 - dahaurica BSWJ8613 etc
 - frigida BSWJ2966 etc
 - heracleifolia BSWJ8843
 - japonica BSWJ5828 etc
 - from Cheju Do
BSWJ8758a etc
 - v. acutiloba BSWJ6257
 - mairei BWJ7939 etc
 - pachypoda
 - podocarpa
 - rubra
 - rubra BSWJ9555
 - f. neglecta
 - simplex BSWJ8664 etc
 - 'Atropurpurea'
 - spicata
 - native form
 - taiwanensis BSWJ3413 etc
 - yesoensis BSWJ6355 etc
- (*Actinidiaceae*) *Actinidia* arguta BSWJ4592 etc
- 'Shoko' (F) BSWJ569
 - 'Unchae' (M) BSWJ569
 - callosa v. ephippioidea BSWJ1790
 - deliciosa 'Hayward'
 - 'Tomuri'
 - hypoleuca BSWJ5942 etc
 - kolomikta
 - 'Tomoko' (F) BSWJ4243
 - 'Yazuaki' (M) BSWJ4243
 - latifolia BSWJ3563
 - petelotii HWJ628
 - pilosula
 - polygama from Japan
BSWJ5444 etc
 - from Korea BSWJ8544 etc

(<i>Actinidiaceae</i>)	Actinidia	rubricaulis BSWJ3111
	-	rufa BSWJ6885 etc
	-	sp. from China BSWJ8161
	-	aff. strigosa HWJK2367
	-	tetramera BSWJ3564
(<i>Campanulaceae</i>)	Adenophora	capillaris v. leptosepala BSWJ7986
	-	aff. coelestis BSWJ7998
	-	grandiflora BSWJ8555 etc
	-	jaisionifolia BSWJ7946
	-	lamarckii BSWJ8738
	-	morrisonensis RWJ10008 etc
	-	remotiflora BSWJ11016
	-	triphylla BSWJ10936
	-	- v. japonica BSWJ8835 etc
	-	uchatae BSWJ126
(<i>Hippocastanaceae</i>)	Aesculus	pavia 'Rubra'
(<i>Lamiaceae</i>)	Agastache	rugosa BSWJ4187
	-	- 'Korean Zest' BSWJ735
(<i>Simaroubaceae</i>)	Ailanthus	altissima v. tanakai BSWJ6777 etc
(<i>Asteraceae</i>)	Ainsliaea	acerifolia BSWJ4795
	-	apiculata v. acerifolia BSWJ6059
(<i>Lardizabalaceae</i>)	Akebia	longeracemosa BSWJ3606
	-	× pentaphylla BSWJ2829
	-	quinata BSWJ4102 etc
	-	- 'White Chocolate' BSWJ8415
	-	- white flowered form
	-	trifoliata BSWJ5063 etc
(<i>Alliaceae</i>)	Allium	tuberosum BSWJ8881
(<i>Betulaceae</i>)	Alnus	pendula BSWJ10895
(<i>Zingiberaceae</i>)	Alpinia	japonica BSWJ8889
(<i>Araceae</i>)	Amorphophallus	kiusianus BSWJ4845
(<i>Vitaceae</i>)	Ampelocissus	sikkimensis HWJK2066
(<i>Vitaceae</i>)	Ampelopsis	brevipedunculata 'Citruilloides' BSWJ1173
	-	megalophylla
(<i>Gesneriaceae</i>)	Ancyclostemon	convexus BSWJ6624 etc
(<i>Primulaceae</i>)	Androsace	geraniifolia
	-	rotundifolia
	-	sp. CD&R2477
(<i>Ranunculaceae</i>)	Anemone	apennina double blue
	-	chapaensis HWJ631
	-	elongata BSWJ2975
	-	flaccida
	-	hupehensis BSWJ8190 etc
	-	- 'Bowles' Pink'
	-	- v. japonica BSWJ4886
	-	- - 'Pamina'
	-	× hybrida 'Elegans'
	-	- 'Honorine Jobert'
	-	- 'Lady Gilmour'
	-	- 'Margarete'
	-	- 'Queen Charlotte'
	-	- 'Richard Ahrens'
	-	- 'Rosenschale'
	-	- 'Whirlwind'

(<i>Ranunculaceae</i>)	Anemone	keiskeana
-	-	levellei
-	-	leveillei BWJ7919
-	-	× lipsiensis
-	-	matsudai BSWJ1452 etc
-	-	- 'Taiwan's Tiny Treasure' BSWJ7038
-	-	mexicana
-	-	nemorosa 'Alba Plena'
-	-	- 'Allenii'
-	-	- 'Atrocaerulea'
-	-	- 'Blue Beauty'
-	-	- 'Blue Eyes'
-	-	- 'Bowles' Purple'
-	-	- 'Bracteata Pleniflora'
-	-	- 'Buckland'
-	-	- 'Cedric's Pink'
-	-	- 'Dee Day'
-	-	- 'Green Fingers'
-	-	- 'Lady Doneraile'
-	-	- 'Lychette'
-	-	- 'Parlez Vous'
-	-	- 'Pentre Pink'
-	-	- pink
-	-	- 'Robinsoniana'
-	-	- 'Rosea'
-	-	- 'Royal Blue'
-	-	- 'Viridiflora'
-	-	- 'Wilks' Giant'
-	-	- 'Wilks' White'
-	-	- 'Wyatt's Pink'
-	-	palmata
-	-	pavonina
-	-	polyanthes HWJK2337
-	-	pseudoaltaica
-	-	ranunculoïdes
-	-	rivularis from China BWJ7611
-	-	- from India GWJ9391
-	-	- from Nepal HWJK2353
-	-	vitifolia from India GWJ9434 etc
-	-	- from Nepal HWJK2044 etc
-	-	- from Vietnam BSWJ8202 etc
(<i>Ranunculaceae</i>)	Anemonella	thalictroides
-	-	- 'Cameo'
-	-	- f. rosea
(<i>Ranunculaceae</i>)	Anemonopsis	macrophylla
-	-	- 'White Swan'
(<i>Apiaceae</i>)	Angelica	aff. acutiloba v. iwatensis BSWJ11197
-	-	aff. anomala BSWJ10886
-	-	dahurica BSWJ8603
-	-	decursiva BSWJ5746
-	-	edulis BSWJ10968
-	-	gigas BSWJ4170
-	-	japonicum RWJ9802
-	-	morii RWJ9802

(<i>Apiaceae</i>)	Angelica	pubescens BSWJ5593
	-	- matsumurae BSWJ6387
	-	sp. from Guatemala BSWJ10345
	-	aff. ursina BSWJ10829
(<i>Iridaceae</i>)	Anomatheca	(Lapeirousia) laxa
(<i>Papilionaceae</i>)	Apios	americana
(<i>Ranunculaceae</i>)	Aquilegia	buergeriana v. oxysepala BSWJ4775 etc
	-	rockii BWJ7965
	- × Semiaquilegia	hybrid blue
(<i>Araliaceae</i>)	Aralia	apioides EDHCH9720
	-	armata BSWJ6719
	-	bipinnata RWJ10101
	-	californica
	-	chapaense HWJ723 etc
	-	aff. chinensis BWJ8102
	-	continentalis BSWJ4152 etc
	-	cordata BSWJ5511 etc
	-	decaisneana BSWJ3588 etc
	-	elata BSWJ 5480
	-	foliosa BSWJ8360
	-	kansuensis BWJ7650
	-	racemosa BSWJ9570
	-	sp. from China CD&R2289
(<i>Myrsinaceae</i>)	Ardisia	japonica BSWJ3809 etc
(<i>Araceae</i>)	Arisaema	candidissimum
	-	consanguineum BSWJ071 etc
	-	formosanum BSWJ280 etc
	-	- f. stenophyllum BSWJ1477 etc
	-	- v. bicolorifolium BSWJ3528 etc
	-	grapsospadix BSWJ7000
	-	yoanum BSWJ etc
	-	kelung-insulare BSWJ256 etc
	-	negeshii
	-	petelotii BSWJ9706
	-	polyphyllum BSWJ3904 etc
	-	ringens f. praecox BSWJ1515 etc
	-	- f. sieboldii BSWJ551 etc
	-	sikokianum
	-	taiwanense BSWJ269 etc
	-	- f. cinereus BSWJ1912 etc
	-	- v. brevipedunculatum BSWJ1859 etc
	-	ternatipartitum BSWJ5790
	-	thunbergii ssp. autumnalis BSWJ1425 etc
	-	yamatense v. sugimotoi BSWJ5092 etc
(<i>Araceae</i>)	Arisarum	proboscideum
(<i>Aristolochiaceae</i>)	Aristolochia	curcubitifolia BSWJ7403
	-	griffithii BSWJ2118
	-	heterophylla BSWJ3109
	-	kaempferi BSWJ293
	-	manshuriensis BSWJ4284 etc
	-	onoeci BSWJ4960
(<i>Apiaceae</i>)	Arracacia	sp. BSWJ9023
(<i>Asteraceae</i>)	Artemisia	kawakamii BSWJ088

(<i>Araceae</i>)	Arum	'Chameleon'
	-	italicum marmoratum
	-	- 'Spotted Jack'
(<i>Rosaceae</i>)	Aruncus	aethusifolius 'Little Gem'
		BSWJ 4475
	-	asiaticus BSWJ8624
(<i>Aristolochiaceae</i>)	Asarum	albomaculatum BSWJ1726 etc
	-	campaniforme
	-	canadense
	-	caudatum
	-	- 'Album'
	-	caudigerum BSWJ1517 etc
	-	caulescens BSWJ 5886 etc
	-	delavayi
	-	epigynum 'Silver Web' BSWJ3442
	-	europaeum
	-	fauriei
	-	hartwegii
	-	hypogynum BSWJ3628 etc
	-	infrapurpleum BSWJ1994 etc
	-	lemmonii
	-	leptophyllum BSWJ1983 etc
	-	macranthum BSWJ1691 etc
	-	maculatum BSWJ1114 etc
	-	marmoratum
	-	maximum
	-	pulchellum
	-	sieboldii
	-	splendens
	-	taipingshanianum BSWJ1688 etc
	-	- 'Elfin Yellow' BSWJ1746
(<i>Convallariaceae</i>)	Aspidistra	attenuata BSWJ377
	-	daibuensis BSWJ312b
	-	aff. saxicola 'Uan Fat Lady'
(<i>Asteraceae</i>)	Aster	hayatae BSWJ8790
	-	souliei BWJ7655
(<i>Ranunculaceae</i>)	Asteropyrum	cavaleri
(<i>Saxifragaceae</i>)	Astilbe	chinensis BWJ8178
	-	- v. davidii BSWJ8583 etc
	-	koreana BSWJ8611 etc
	-	longicarpa BSWJ6711
	-	microphylla BSWJ11085
	-	rivularis GWJ9366
	-	- v. myriantha BWJ8076a
	-	thunbergii v. hachijoenensis
		BSWJ5622
	-	- v. terrestris BSWJ6125
(<i>Apiaceae</i>)	Astrantia	'Buckland'
	-	major 'Rubra'
	-	- ssp. involucrata 'Shaggy'
	-	- 'Sunningdale Variegated'
	-	maxima
	-	minor
(<i>Aucubaceae</i>)	Aucuba	japonica f. longifolia
	-	- 'Salicifolia'
	-	omeiensis BWJ8048

B

(<i>Ranunculaceae</i>)	Beesia	calthifolia
(<i>Begoniaceae</i>)	Begonia	boliviensis
-	-	'Candy Floss' BWJ7858
-	-	chapaensis HWJ642
-	-	chitoensis BSWJ1954
-	-	formosana BSWJ7041
-	-	grandis ssp. evansiana
-	-	-- 'Pink Parasol' BSWJ5702
-	-	-- 'Sapporo'
-	-	laciniata v. laciniata
-	-	BSWJ7175 etc
-	-	large sp. from Mexico
-	-	BSWJ10279
-	-	palmata BSWJ2692
-	-	'Pink Lady' BWJ8119
-	-	putii BSWJ7245
-	-	sinensis BWJ8133
-	-	- 'Red Undies' BWJ8011
-	-	sp. from China BWJ7840
-	-	sp. from Costa Rica BSWJ10479
-	-	sp. from Guatemala
-	-	BSWJ10442
-	-	taliensis EDCDH042
-	-	'Wild Swan' BWJ7772
(<i>Iridaceae</i>)	Belamcanda	chinensis BSWJ8692b
(<i>Flacourtiaceae</i>)	Berberidopsis	corallina
(<i>Berberidaceae</i>)	Berberis	amurensis v. latifolia
-	-	BSWJ8539 etc
-	-	goudotii BSWJ10769
-	-	insignis v. insignis
-	-	BSWJ2432 etc
-	-	aff. verticillata BSWJ10672
-	-	viracens BSWJ2646d
(<i>Betulaceae</i>)	Betula	ermanii BSWJ8801
-	-	utilis GWJ9259 etc
(<i>Asteraceae</i>)	Bidens	aurea BSWJ9049
-	-	sp. from Mexico BSWJ10276
-	-	triplinervia BSWJ10696 etc
(<i>Blechnaceae</i>)	Blechnum	chilense
(<i>Rutaceae</i>)	Boenninghausenia	albiflora BSWJ1479 etc
-	-	- pink tinged BSWJ3112
-	-	japonica BSWJ4876 etc
(<i>Alstroemeriaceae</i>)	Bomarea	aff. acuminata BSWJ10617
-	-	acutifolia BSWJ9094 etc
-	-	boliviensis
-	-	costaricensis BSWJ10467
-	-	edulis BSWJ9017
-	-	aff. frondea BSWJ10681
-	-	salsilla
(<i>Saxifragaceae</i>)	Boykinia	aconitifolia
-	-	occidentalis
-	-	rotundifolia
(<i>Buddlejaceae</i>)	Buddleja	asiatica BSWJ7214
-	-	auriculata
-	-	colvillei BSWJ2121 etc

(<i>Buddlejaceae</i>)	Buddleja	colvilei 'Kewensis'
	-	curviflora f. venenifera BSWJ6036 etc
	-	davidii BWJ8083
	-	delavayi (heliophylla)
	-	fallowiana BWJ7803
	-	forrestii
	-	japonica BSWJ8912
	-	macrostachya HWJ602 etc
	-	megalcephala BSWJ9106
	-	nivea from Sikkim BSWJ2679
	-	- v. yunnanensis BWJ8146
	-	venenifera f. calvescens BSWJ895
(<i>Apiaceae</i>)	Bupleurum	candollii GWJ9405 etc
	-	longifolium ssp. aureum
	-	longiradiatum BSWJ8673

C

(<i>Asteraceae</i>)	Cacalia	corymbosa HWJK2214
	-	delphiniifolia BSWJ5789 etc
(<i>Scrophulariaceae</i>)	Calceolaria	perfoliata BSWJ10638
(<i>Verbenaceae</i>)	Callicarpa	japonica BSWJ8587
	-	- v. luxurians BSWJ8521
(<i>Campanulaceae</i>)	Campanula	alliarifolia DHTU0126
	-	punctata v. microdonta BSWJ5553
	-	'Sarastro'
	-	takesimana BSWJ8499
	-	- 'Beautiful Truth'
(<i>Cruciferae</i>)	Cardamine	angustifolia
	-	bulbifera
	-	californica
	-	diphylla
	-	- 'Eco Cut Leaf'
	-	- 'Eco Moonlight'
	-	glanduligera
	-	heptaphylla
	-	kitaibelii
	-	macrophylla 'Bright and Bronzy' BSWJ2165a
	-	maxima
	-	microphylla
	-	pentaphylla
	-	quinqüifolia
	-	trifolia
	-	waldsteinii
	-	yezoensis BSWJ4659
(<i>Hydrangeaceae</i>)	Cardiandra	alternifolia BSWJ5845 etc
	-	- 'Pink Geisha' BSWJ2803
	-	amamioshimensis
	-	formosana BSWJ2005 etc
	-	- 'Crûg's Abundant' BSWJ3632
	-	- 'Hsitou' BSWJ7022
	-	- 'Hsitou Splendour' BSWJ3618

(<i>Liliaceae</i>)	Cardiocrinum	cordatum BSWJ2812 etc
	-	- v. glehnii BSWJ4758 etc
	-	giganteum
	-	giganteum BSWJ2419 etc
	-	- v. yunnanense
(<i>Corylaceae</i>)	Carpinus	japonica BSWJ10803
	-	- v. cordifolia BSWJ11072
	-	laxiflora BSWJ10809 etc
	-	- v. longispica BSWJ8772
	-	tschonoskii BSWJ10800
(<i>Berberidaceae</i>)	Caulophyllum	thalictroides
	-	- ssp. robustum
(<i>Zingiberaceae</i>)	Cautleya	cathcartii 'Tenzing's Gold' BSWJ2281
	-	gracilis BSWJ7186 etc
	-	spicata 'Crûg Canary' BSWJ2103
	-	- 'Robusta'
(<i>Celastraceae</i>)	Celastrus	flagellaris BSWJ8572
	-	stephanotifolius BSWJ4727
(<i>Campanulaceae</i>)	Centropogon	cordifolius BSWJ10282
	-	costaricae BSWJ10455
	-	aff. ferrugineus BSWJ10663
	-	aff. valerii BSWJ10341
(<i>Plumbaginaceae</i>)	Ceratostigma	plumbaginoides
	-	willmottianum BSWJ8140
(<i>Cercidiphyllaceae</i>)	Cercidiphyllum	magnificum Og 95.144
(<i>Asclepiadaceae</i>)	Ceropegia	pubescens GWJ9441
(<i>Melanthiaceae</i>)	Chionographis	japonica
(<i>Gesneriaceae</i>)	Chirita	speciosa 'Crûg Cornetto' HWJ1056
(<i>Chloranthaceae</i>)	Chloranthus	japonicus
	-	oldhamii BSWJ2019
	-	serratus
(<i>Anthericaceae</i>)	Chlorophytum	nepalense BSWJ2393 etc
(<i>Asteraceae</i>)	Chrysanthemum	aff. yezoense BSWJ10872
(<i>Saxifragaceae</i>)	Chrysosplenium	davidianum
	-	flagelliferum BSWJ8902
	-	languinosum v. formosanum BSWJ6979
	-	macrophyllum
	-	macrostemon v. shiobarense BSWJ6173
	-	sp. from Taiwan BSWJ9835
(<i>Asteraceae</i>)	Cicerbita	sp. from China BSWJ7891
(<i>Asteraceae</i>)	Cirsium	kamtschaticum BSWJ10927
	-	subcoriaceum pink BSWJ10245
	-	- yellow BSWJ10471
(<i>Vitaceae</i>)	Cissus	aff. pedata BSWJ2371
(<i>Ranunculaceae</i>)	Clematis	acuminata v. sikkimensis BSWJ7202
	-	apiifolia BSWJ6281 etc
	-	buchananiana BSWJ8333a
	-	campaniflora
	-	chiisanensis BSWJ4560 etc
	-	chinensis RWJ10042
	-	chrysocoma BSWJ7700
	-	confusa HWJK2200 etc

(<i>Ranunculaceae</i>)	Clematis	connata GWJ9386 etc
	-	crassifolia BSWJ6700
	-	fasciculaeflora L657
	-	glaucophylla
	-	grata BSWJ6874 etc
	-	grewiiflora HWJK2162 etc
	-	henryi BSWJ3403
	-	- v. morii BSWJ1668
	-	ianthina v. kupripoensis BSWJ700
	-	japonica BSWJ11204
	-	- v. obvallata BSWJ8900
	-	koreana etc
	-	- v. lutea
	-	lasiandra BSWJ4888 etc
	-	loureiriana HWJ663
	-	mandschurica BSWJ1060
	-	montana from China
	-	BWJ8189b etc
	-	- 'Freda'
	-	- 'Marjorie'
	-	- from Nepal HWJK2156 etc
	-	- from Taiwan BSWJ6930 etc
	-	napaulensis
	-	parviloba v. bartletii
	-	BSWJ6788 etc
	-	patens 'Korean Moon'
	-	BSWJ583
	-	pirotii BSWJ6281
	-	rehedriana BWJ7538 etc
	-	repens DJHC0540
	-	serratifolia from Korea
	-	BSWJ8458 etc
	-	sp. from China BWJ7630 etc
	-	stans BSWJ5073 etc
	-	szuyuanensis BSWJ6791 etc
	-	tashiroyi BSWJ7005
	-	- 'Yellow Peril' BSWJ1423
	-	terniflora BSWJ5751 etc
	-	tongluensis GWJ9358 etc
	-	uncinata BSWJ1893
	-	urticifolia BSWJ8640 etc
(<i>Verbenaceae</i>)	Clerodendrum	aff. mutabilis BSWJ6651
	-	trichotomum BSWJ4896a
	-	- white calyx BSWJ4896
(<i>Clethraceae</i>)	Clethra	barbinervis BSWJ8915
(<i>Papilionaceae</i>)	Clianthus	puniceus
(<i>Convallariaceae</i>)	Clintonia	andrewsiana
	-	borealis
	-	udensis from Nepal HWJK2339
	-	umbellulata
	-	uniflora
(<i>Apiaceae</i>)	Coaxana	purpurea BSWJ9028
(<i>Cobaeaceae</i>)	Cobea	lutea BSWJ9142a
(<i>Menispermaceae</i>)	Cocculus	orbiculatus BSWJ535
(<i>Campanulaceae</i>)	Codonopsis	affinis HWJCM70 etc
		benthamii from Sikkim
		GWJ9352

(<i>Campanulaceae</i>)	Codonopsis	aff. celebica HWJ665
-	-	clematidea
-	-	convolvulacea v. hirsuta BWJ7812
-	-	dicentrifolia HWJCM267
-	-	forrestii BWJ7532 etc
-	-	gracilis HWJK2155 etc
-	-	grey-wilsonii
-	-	javanica BSWJ380
-	-	kawakamii BSWJ6975 etc
-	-	lanceolata BSWJ562
-	-	pilosula BWJ7910
-	-	species from China BWJ8145
-	-	- from India GWJ9442
-	-	- from Nepal HWJK2105
-	-	rotundifolia var. angustifolia
-	-	thalictrifolia MECC93
-	-	viridiflora
-	-	viridis HWJK2435 etc
(<i>Nyctaginaceae</i>)	Colignonia	ovalifolia BSWJ10644
(<i>Araceae</i>)	Colocasia	formosana BSWJ6909
(<i>Lamiaceae</i>)	Colquhounia	coccinea
-	-	- v. mollis BSWJ7222
(<i>Commelinaceae</i>)	Commelina	tuberosa BSWJ10353
(<i>Myricaceae</i>)	Comptonia	peregrina
(<i>Gesneriaceae</i>)	Conandron	ramondioides BSWJ8929 etc
(<i>Apiaceae</i>)	Conioselinum	morrisonense BSWJ173
(<i>Ranunculaceae</i>)	Coptis	japonica
-	-	- v. dissecta
-	-	- v. major
-	-	omeiensis BSWJ7366
-	-	quinquefolia BSWJ1677
-	-	- v. ramosa
-	-	ramosa BSWJ6000 etc
(<i>Coriariaceae</i>)	Coriaria	arborea etc
-	-	intermedia BSWJ019
-	-	japonica BSWJ2833 etc
-	-	- ssp. intermedia BSWJ3877
-	-	kingiana
-	-	microphylla BSWJ8999 etc
-	-	myrtifolia
-	-	napalensis BWJ7755 etc
-	-	pteridoides
-	-	ruscifolia HCM98178
-	-	sarmentosa etc
-	-	terminalis v. xanthocarpa GWJ9204 etc
(<i>Cornaceae</i>)	Cornus	capitata
-	-	hongkongensis HWJ1033 etc
-	-	kousa BSWJ5494
-	-	aff. tonkinensis HWJ1022
(<i>Poaceae</i>)	Cortaderia	richardii
(<i>Apiaceae</i>)	Cortiella	aff. hookeri HWJK2291
(<i>Primulaceae</i>)	Cortusa	matthioli BWJ7740
(<i>Papaveraceae</i>)	Corydalis	chaerophylla BSWJ2951
-	-	elata

(<i>Papaveraceae</i>)	<i>Corydalis</i>	<i>flexuosa</i> 'China Blue' CD&R528c
-	-	- 'P'ere David' CD&R528b
-	-	- 'Purple Leaf' CD&R528a
-	-	<i>incisa</i> BSWJ4417
-	-	<i>ochotensis</i> BSWJ917
-	-	- <i>v. raddeana</i> BSWJ11057
-	-	<i>siamense</i> BSWJ7200
(<i>Corylaceae</i>)	<i>Corylus</i>	<i>ferox</i> GWJ9293
(<i>Gentianaceae</i>)	<i>Crawfordia</i>	<i>fasiculata</i> BSWJ7197
-	-	<i>speciosa</i> BSWJ2138 etc
(<i>Asteraceae</i>)	<i>Cremanthodium</i>	aff. <i>ellisii</i> HWJK2262
-	-	aff. <i>reniforme</i> GWJ9407
(<i>Iridaceae</i>)	<i>Crocoshia</i>	'Emily McKenzie'
-	-	'Mrs Geoffrey Howard'
-	-	'Star of the East'
(<i>Stemonaceae</i>)	<i>Croomia</i>	<i>heterosepala</i>
(<i>Hypoxidaceae</i>)	<i>Curculigo</i>	<i>crassifolia</i> BSWJ2318
(<i>Athyriaceae</i>)	<i>Cystopteris</i>	<i>moupinensis</i> BSWJ6767

D

(<i>Asteraceae</i>)	<i>Dahlia</i>	<i>australis</i> BSWJ10358 etc
-	-	<i>coccinea</i> BSWJ9126
-	-	aff. <i>excelsa</i> BSWJ10233
-	-	<i>imperialis</i> BSWJ8997 etc
-	-	<i>merckii</i> 'Alba'
-	-	<i>pinnata</i> BSWJ10240
-	-	aff. <i>purpusii</i> BSWJ10321
(<i>Thymelaeaceae</i>)	<i>Daphne</i>	<i>bholua</i> seedling
-	-	- 'Alba' seedlings
-	-	<i>jezoensis</i>
-	-	<i>kamtschatica</i>
-	-	<i>pseudomezereum</i>
-	-	<i>retusa</i>
-	-	sp. from China DJHC98164
-	-	<i>sureil</i> GWJ9200 etc
-	-	<i>tangutica</i>
(<i>Daphniphyllaceae</i>)	<i>Daphniphyllum</i>	aff. <i>calycinum</i> BSWJ8225
-	-	<i>glaucescens</i> BSWJ4058
-	-	- <i>v. oldhamii</i> BSWJ6888 etc
-	-	<i>himalaense</i> ssp. <i>macropodum</i> from Taiwan BSWJ4396 etc
-	-	<i>humile</i> BSWJ2898 etc
-	-	<i>kengii</i> BSWJ6872 etc
-	-	<i>macropodum</i> from Cheju-Do BSWJ8763 etc
-	-	<i>teijsmannii</i> from Japan BSWJ11110
-	-	aff. <i>teijsmannii</i> BSWJ7108 etc
(<i>Saxifragaceae</i>)	<i>Darmera</i>	<i>peltata</i>
(<i>Lardizabalaceae</i>)	<i>Decaisnea</i>	<i>fargesii</i> BSWJ8070
(<i>Hydrangeaceae</i>)	<i>Decumaria</i>	<i>barbara</i>
-	-	<i>sinensis</i>
(<i>Hydrangeaceae</i>)	<i>Deinathe</i>	<i>bifida</i> BSWJ5436 etc
-	-	- 'Pink-Kii' BSWJ5012
-	-	- 'Pink-Shi' BSWJ5655

(<i>Hydrangeaceae</i>)	Deinanthè	caerulea
-	-	- × bifida 'Blue Blush'
(<i>Ranunculaceae</i>)	Delphinium	ceratophorum v. ceratophorum BWJ7799
-	-	aff. delavayi BWJ7796
-	-	drepanocentrum HWJK2263
-	-	glaciale HWJK2299
-	-	aff. micropetalum CNDS031
-	-	siamense BSWJ7278
-	-	sp. from China BWJ7996
-	-	stapeliosmum BSWJ2960 etc
-	-	aff. sutchuenense BWJ7867
-	-	tatsienense
-	-	tenii BWJ7693 etc
-	-	viscosum HWJK2268
(<i>Araliaceae</i>)	Dendropanax	trifidus BSWJ11230
(<i>Loganiaceae</i>)	Desfontainia	spinosa 'Harold Comber'
(<i>Hydrangeaceae</i>)	Deutzia	calycosa BWJ8007
-	-	compacta GWJ9202
-	-	cordatula BSWJ6917
-	-	coreana BWJ8588
-	-	crenata BWJ8886 etc
-	-	- v. heterotricha BSWJ5805
-	-	crenata v. nakaiana BSWJ8879
-	-	glabrata BSWJ617 etc
-	-	glomeruliflora BWJ7742
-	-	gracilis BSWJ8927
-	-	- ogotae BSWJ8911
-	-	aff. monbeigii BWJ7728
-	-	parviflora v. barbinervis BSWJ8478
-	-	pulchra BSWJ3870 etc
-	-	purpurascens BWJ7859
-	-	scabra BSWJ8924
-	-	taiwanensis BSWJ6858
(<i>Papaveraceae</i>)	Dicentra	canadensis
-	-	'Coldham'
-	-	cucullaria
-	-	formosa alba
-	-	- ssp. oregona
-	-	'Langtrees'
-	-	lichiangensis GWJ9376 etc
-	-	macrantha
-	-	macrocapnos
-	-	scandens GWJ9438 etc
-	-	- f. thalictrifolia
-	-	torulosa BWJ7814
(<i>Hydrangeaceae</i>)	Dichroa	hirsuta from Lao BSWJ8371
-	-	- from Vietnam BSWJ8207
-	-	versicolor BSWJ6565 etc
-	-	febrifuga BSWJ2367 etc
-	-	aff. yunnanensis BSWJ9734
(<i>Iridaceae</i>)	Dierama	grandiflorum
(<i>Scrophulariaceae</i>)	Digitalis	ikizdere RCB059
(<i>Berberidaceae</i>)	Diphylleia	cymosa
-	-	grayi
-	-	sinensis

(<i>Asteraceae</i>)	Diplostephium	alveolatum BSWJ10686
(<i>Dipsacaceae</i>)	Dipsacus	japonicus HWJ695
(<i>Convallariaceae</i>)	Disporopsis	arisanensis BSWJ1864 etc
	-	aspera
	-	aspera tall form
	-	fusco-picta
	-	longifolia BSWJ5284 etc
	-	luzoniense BSWJ3891
	-	pernyi
	-	taiwanensis BSWJ3388 etc
	-	aff. undulata
(<i>Convallariaceae</i>)	Disporum	aff. austrosinense BSWJ9777 etc
	-	cantoniense BSWJ9715
	-	- v. cantoniense BSWJ5181
	-	- f. brunneum BSWJ5290 etc
	-	- v. kawakamii BSWJ1424
	-	flavens BSWJ872 etc
	-	hookeri
	-	- v. oreganum
	-	lanuginosum
	-	leschenaultianum BSWJ9484 etc
	-	leucanthum BSWJ2389 etc
	-	longistylum L1564
	-	lutescens
	-	maculatum
	-	megalanthum
	-	nantauense BSWJ359 etc
	-	sessile BSWJ2824 etc
	-	- 'Aureovariegatum'
	-	- 'Variegatum'
	-	smilacinum BSWJ713 etc
	-	- 'Aureovariegatum'
	-	- double
	-	- pink
	-	smithii
	-	taiwanense BSWJ1513 etc
	-	trabeculatum 'Nakafu'
	-	uniflorum BSWJ651 etc
	-	viridescens BSWJ4598 etc
(<i>Podoaceae</i>)	Dobinea	vulgaris BSWJ2532
(<i>Winteraceae</i>)	Drimys	granatensis v. grandiflora
	-	BSWJ10777
	-	winteri v. chilensis

E

(<i>Iradaeae</i>)	Echeandia	formosa BSWJ9417
(<i>Crassulaceae</i>)	Echeveria	'Crúg Ice' BSWJ9103
	-	maxonii BSWJ10396
	-	montana BSWJ10277
(<i>Thymelaeaceae</i>)	Edgeworthia	chrysantha BSWJ1048
(<i>Araliaceae</i>)	Eleutherococcus	trifoliatus RWJ10108
	(see also <i>Acanthopanax</i>)	
(<i>Scrophulariaceae</i>)	Ellisiophyllum	pinnatum BSWJ197
(<i>Apiaceae</i>)	Enantiophylla	heydeana BSWJ9114
	-	sp. from Guatemala
		BSWJ10318

(<i>Ericaceae</i>)	Enkianthus	deflexus GWJ9225
(<i>Ranunculaceae</i>)	Eranthis	pinnatifida
(<i>Phytolaccaceae</i>)	Ercilla	volubilis
(<i>Geraniaceae</i>)	Erodium	trifolium
(<i>Apiaceae</i>)	Eryngium	cymosum BSWJ10267
	-	ebracteatum CDR3248
	-	guatemalense BSWJ8989 etc
	-	strotheri BSWJ9109 etc
(<i>Liliaceae</i>)	Erythronium	americanum
	-	californicum
	-	- 'White Beauty'
	-	'Citronella'
	-	dens-canis
	-	- 'Frans Hals'
	-	- 'Pink Perfection'
	-	- 'Snowflake'
	-	japonicum etc
	-	'Jeannine'
	-	'Kondo'
	-	'Pagoda'
	-	revolutum
	-	- Johnsonii
(<i>Hyacinthaceae</i>)	Eucomis	'Stars & Stripes'
(<i>Celastraceae</i>)	Euonymus	alatus BSWJ8794
	-	fortunei 'Kewensis'
	-	japonicus BSWJ11159
	-	morrisonensis BSWJ3700
	-	aff. sieboldianus BSWJ10941
	-	- v. sanguineus BSWJ11140
(<i>Asteraceae</i>)	Eupatorium	chinensis v. simplicifolium
		BSWJ8449
	-	sp. from Guatemala BSWJ9052
(<i>Euphorbiaceae</i>)	Euphorbia	cornigera
	-	donii HWJK2405
	-	griffithii 'Dixter'
	-	- 'King's Capel'
	-	mellifera
	-	rothiana GWJ9479a etc
	-	schillingii
	-	sikkimensis
	-	sikkimensis GWJ9214
F		
(<i>Polygonaceae</i>)	Fallopia	multiflorum v. hypoleucum
		BSWJ120
(<i>Asteraceae</i>)	Farfugium	formosana BSWJ3739
	-	japonicum BSWJ884
	-	- double flowered
(<i>Araliaceae</i>)	Fatsia	polycarpa BSWJ7144 etc
(<i>Rosaceae</i>)	Filipendula	formosa BSWJ8707
	-	aff. kamtschatica BSWJ10828
	-	kiraishiensis BSWJ1571
	-	palmata v. rufinervis BSWJ8469 etc
	-	purpurea
	-	rubra 'Venusta'
(<i>Liliaceae</i>)	Fritillaria	camschatcensis
	-	pallidiflora

(<i>Liliaceae</i>)	Fritillaria	pontica
	-	pyrenaica
	-	verticillata
(<i>Onagraceae</i>)	Fuchsia	arborescens BSWJ10475
	-	cordifolia BSWJ9095 etc
	-	hemsleyana BSWJ10478
	-	michoacanensis BSWJ9027 etc
	-	misrophylla BSWJ10331
	-	- ssp. aprica BSWJ9101
	-	paniculata
	-	splendens BSWJ10469

G

(<i>Geraniaceae</i>)	Geranium	'Ann Folkard'
	-	'Anne Thomson'
	-	× antipodeum Crûg Strain
	-	aristatum
	-	'Bertie Crûg'
	-	'Black Ice'
	-	canariense
	-	× cantabrigiense
	-	- 'Biokovo'
	-	- 'St Ola'
	-	'Chantilly'
	-	christansonianum BWJ8022
	-	clarkei 'Mount Stewart'
	-	'Coombland White'
	-	dahuricum
	-	dalmaticum
	-	- album
	-	'Dilys'
	-	'Diva'
	-	'Dusky Crûg'
	-	'Elizabeth Ross'
	-	erianthum
	-	- 'Calm Sea'
	-	- 'Neptune'
	-	eriosomon
	-	gracile
	-	guatemalense BSWJ9152 etc
	-	gymnocaulon
	-	harveyi
	-	hayatanum BSWJ164
	-	himalayense 'Baby Blue'
	-	- 'Gravetye'
	-	- 'Irish Blue'
	-	- 'Plenum'
	-	ibericum ssp. jubatum
	-	'Ivan'
	-	'Johnson's Blue'
	-	'Joy'
	-	'Kate'
	-	'Khan'
	-	kishtvariense
	-	koraiense BSWJ797 etc
	-	koreanum BSWJ602
	-	krameri BSWJ1142

(Geraniaceae)	Geranium	lambertii 'Swansdown'
	-	libani
	-	'Libretto'
	-	linearilobum ssp. transversale
	-	macrorrhizum 'Album'
	-	- 'Czakov'
	-	- 'Ingwersens Variety'
	-	- 'Lohfelden'
	-	- 'Pindus'
	-	- 'Ridsko'
	-	- 'Velbit'
	-	- 'White-Ness'
	-	macrostylum
	-	maculatum
	-	- f. albiflorum
	-	maderense
	-	× magnificum
	-	malviflorum
	-	- pink
	-	'Menna Bach'
	-	× monacense
	-	- 'Variegatum'
	-	'Nimbus'
	-	nodosum 'Svelte Lilac'
	-	- 'Swish Purple'
	-	- 'Whiteleaf'
	-	'Orion'
	-	'Orkney Blue'
	-	'Orkney Dawn'
	-	× oxonianum 'A. T. Johnson'
	-	- 'Crûg Star'
	-	- 'Fran's Star'
	-	- 'Miriam Rundle'
	-	- 'Old Rose'
	-	- 'Prestbury Blush'
	-	- 'Rose Clare'
	-	- 'Rosenlicht'
	-	- 'Southcombe Double'
	-	- 'Southcombe Star'
	-	- 'Summer Surprise'
	-	- 'Susie White'
	-	- f. thurstonianum
	-	- 'Trevor's White'
	-	- 'Wageningen'
	-	- 'Walter's Gift'
	-	- 'Wargrave Pink'
	-	palmatum
	-	× maderense
	-	papuanum
	-	'Patricia'
	-	phaeum 'Album'
	-	- 'David Bromley'
	-	- 'Joan Baker'
	-	- 'Mourning Widow'
	-	- 'Rose Madder'
	-	- 'Samobor'

(Geraniaceae)	Geranium	'Phillippe Vapelle'
	-	platyanthum
	-	- v. reinii
	-	platypetalum
	-	- 'Georgia Blue'
	-	polyanthes HWJCM276 etc
	-	pratense f. albiflorum
	-	- 'Cluden Sapphire'
	-	- 'Galactic'
	-	- 'Mrs Kendall Clark'
	-	- 'Plenum Caeruleum'
	-	- 'Plenum Violaceum'
	-	- 'Rose Queen'
	-	- stewartianum 'Elizabeth Yeo'
	-	- 'Striatum' dwarf form
	-	- Victor Reiter Strain
	-	- 'Yorkshire Queen'
	-	procurrens
	-	psilostemon
	-	- 'Bressingham Flair'
	-	pyrenaicum 'Bill Wallis'
	-	'Rambling Robin'
	-	regelii
	-	renardii
	-	- 'Whiteknights'
	-	repens BSWJ9089
	-	richardsonii
	-	× riversleaianum 'Jean Armour'
	-	- Mavis Simpson'
	-	- 'Russell Pritchard'
	-	rosthornii
	-	rubescens = yeoi
	-	rubifolium
	-	'Salome'
	-	sanguineum 'Album'
	-	- 'Ankum's Pride'
	-	- 'Belle Of Herterton'
	-	- 'Cedric Morris'
	-	- 'Elsbeth'
	-	- 'Jubilee Pink'
	-	- 'Max Frei'
	-	- 'Nyewood'
	-	- 'Shepherd's Warning'
	-	- v. striatum 'Reginald Farrer'
	-	- - 'Splendens'
	-	'Sea Spray'
	-	shikokianum var. kaimontanum
	-	- v. quelpaertense BSWJ1234
	-	- v. yoshiianum BSWJ6147
	-	'Sirak'
	-	soboliferum
	-	'Spinners'
	-	'Sue Crûg'
	-	'Sue's Sister'
	-	suzukii BSWJ016
	-	sylvaticum f. albiflorum
	-	- 'Amy Doncaster'

(<i>Geraniaceae</i>)	Geranium	sylvaticum 'Baker's Pink'
	-	- 'Mayflower'
	-	- 'Silva'
	-	- wanneri
	-	thunbergii pink form BSWJ6990
	-	traversii v. elegans
	-	tuberosum ssp. linearifolium
	-	- pink form
	-	versicolor 'Snow White'
	-	wallichianum 'Buxton's Variety'
		(Blue)
	-	- pink form
	-	'Welsh Guinness'
	-	'Wisley Hybrid / Khan'
	-	wlassovianum
	-	yeoi
	-	yesoense v. nipponicum
(<i>Rosaceae</i>)	Gillenia	trifoliata
(<i>Ginkgoaceae</i>)	Ginkgo	biloba BSWJ8753
(<i>Iridaceae</i>)	Gladiolus	cardinalis
	-	papilio
(<i>Glaucidiaceae</i>)	Glaucidium	palmatum
(<i>Papilionaceae</i>)	Gueldenstaedtia	himalaica BSWJ2631
(<i>Gunneraceae</i>)	Gunnera	magellanica
(<i>Cucurbitaceae</i>)	Gynostemma	pentaphyllum BSWJ570

H

(<i>Apiaceae</i>)	Hacquetia	epipactis
(<i>Araliaceae</i>)	Hedera	hibernica 'Digitata Crûg Gold'
(<i>Zingiberaceae</i>)	Hedychium	coccineum BSWJ5238
	-	- 'Tara'
	-	densiflorum
	-	- 'Assam Orange'
	-	aff. ellipticum BSWJ8354
	-	flavescens
	-	gardnerianum
	-	aff. gardnerianum BSWJ7155
	-	gracile
	-	greenii
	-	maximum BSWJ8261 etc
	-	spicatum from Sichuan BWJ8116
	-	- 'Singalila' BSWJ2303
	-	thyrsiforme
	-	aff. villosum BSWJ7171
	-	yunnanense BWJ7900
	-	aff. yunnanense BSWJ9717
(<i>Asteraceae</i>)	Helianthus	sp. from Guatemala BSWJ10368
(<i>Asteraceae</i>)	Helichrysum	wightii BSWJ9503
(<i>Ranunculaceae</i>)	Helleborus	atrorubens WM9216
	-	dumetorum WM9413
	-	foetidus 'Green Giant'
	-	× hybridus selected seedlings
	-	from 'Hades', 'Picotee'
	-	- Ballard's Strain: 'Cheerful',
		dark, 'Dusk', 'Green Cups',
		'Mystery', white
	-	- by colour: deep purple, white

(<i>Ranunculaceae</i>)	Helleborus	multifidus ssp. istriacus WM9225
-	-	odorus WM9202
-	-	orientalis ssp. guttatus
-	-	- ssp. guttatus pink
-	-	- ssp. guttatus white
-	-	purpurascens WM9211 etc
-	-	thibetanus
-	-	torquatus Montenegro WM9106
-	-	viridis
(<i>Melanthiaceae</i>)	Heloniopsis	acutifolia BSWJ218 etc
-	-	kawanoi
-	-	orientalis from Japan BSWJ6380 etc
-	-	- from Korea BSWJ822 etc
-	-	orientalis breviscapa
-	-	- variegated
-	-	umbellata BSWJ1839 etc
(<i>Hemerocallidaceae</i>)	Hemerocallis	aff. dumortieri BSWJ1283
-	-	fulva v. kwanso BSWJ6328
-	-	longituba BSWJ4576
-	-	minor BSWJ8841
(<i>Ranunculaceae</i>)	Hepatica	acutiloba blue
-	-	- white
-	-	americana
-	-	henryi
-	-	insularis BSWJ859 etc
-	-	maxima BSWJ4344 etc
-	-	nobilis blue
-	-	- v. japonica
-	-	- pink
-	-	- white
-	-	transilvanica
(<i>Lardizabalaceae</i>)	Holboellia	angustifolia ssp. obtusa DJHC506
-	-	chapaensis HWJ1023
-	-	coriacea
-	-	fargesii
-	-	grandiflora BSWJ8223 etc
-	-	latifolia HWJK2014 etc
(<i>Hostaceae</i>)	Hosta	'Big Daddy'
-	-	capitata BSWJ588
-	-	'Golden Tiara'
-	-	montana BSWJ4796 etc
-	-	plantaginea
-	-	'Saishu Jima'
-	-	sieboldiana v. elegans
-	-	'Snowden'
-	-	'Sum and Substance'
-	-	ventricosa from Sichuan BWJ8160
-	-	venusta BSWJ4389
-	-	yingeri BSWJ546
(<i>Rhamnaceae</i>)	Hovenia	dulcis BSWJ11024
(<i>Hydrangeaceae</i>)	Hydrangea	angustipetala BSWJ3454 etc
-	-	- f. formosa BSWJ7097
-	-	- f. macrosepala BSWJ3476 etc

(<i>Hydrangeaceae</i>)	<i>Hydrangea</i>	<i>angustipetala</i> f. <i>obvoatifolia</i> BSWJ3487b etc
-	-	- from Yakushima BSWJ6038 etc
-	-	<i>anomala</i> ssp. <i>anomala</i> BWJ8052
-	-	- - 'Winter Glow' BSWJ2411
-	-	- ssp. <i>glabra</i> BSWJ6804
-	-	- - 'Crûg Coral' BSWJ3117
-	-	- ssp. <i>petiolaris</i> BSWJ6337 etc
-	-	- - v. <i>tiliifolia</i> BSWJ8497
-	-	- - from Yakushima BSWJ6081 etc
-	-	- ssp. <i>quelpartensis</i> BSWJ8799 etc
-	-	<i>arborescens</i> ssp. <i>discolor</i>
-	-	- ssp. <i>radiata</i>
-	-	<i>aspera</i>
-	-	- Kawakamii BSWJ6827 etc
-	-	- - 'August Abundance' BSWJ1420
-	-	- - 'September Splendour' BSWJ3462
-	-	- 'Macrophylla'
-	-	- 'Mauvette'
-	-	- ssp. <i>sargentiana</i>
-	-	- ssp. <i>strigosa</i> BSWJ 8201 etc
-	-	- ssp. <i>villosa</i>
-	-	<i>chinensis</i> f. <i>formosana</i> BSWJ1488 etc
-	-	- from Taiwan BSWJ3410 etc
-	-	<i>glabrapies</i> BWJ8188
-	-	<i>glandulosa</i> BSWJ4031
-	-	<i>heteromalla</i> <i>Bretschneideri</i>
-	-	- 'Fan Si Pan' BSWJ8311
-	-	- from China BWJ7657
-	-	- from India BSWJ2142 etc
-	-	- from Nepal HWJCM148 etc
-	-	- from Sikkim BSWJ2602 etc
-	-	- from Vietnam HWJ526
-	-	<i>hirta</i> BSWJ5000 etc
-	-	<i>indochinensis</i> BSWJ8307 etc
-	-	<i>integrifolia</i> BSWJ022 etc
-	-	<i>involutrata</i> dwarf form
-	-	- 'Hortensis'
-	-	- 'Plena'
-	-	- 'Viridescens'
-	-	<i>lobbii</i> BSWJ3214 etc
-	-	<i>longipes</i>
-	-	<i>luteovenosa</i> BSWJ5602 etc
-	-	<i>macrophylla</i> 'Pia'
-	-	<i>paniculata</i> from Japan BSWJ5413 etc
-	-	- from Taiwan BSWJ3556 etc
-	-	<i>quelpartensis</i> BSWJ4400
-	-	<i>quercifolia</i>
-	-	<i>scandens</i> BSWJ5523 etc
-	-	<i>scandens</i> ssp. <i>liukiuensis</i> BSWJ6022

(<i>Hydrangeaceae</i>)	Hydrangea	seemannii
-	-	serrata BSWJ4817 etc
-	-	- dwarf white
-	-	- 'Kiyosumi'
-	-	- v. thunbergii 'Plena'
-	-	serratifolia
-	-	serratifolia HCM98056
-	-	sikokiana BSWJ5601 etc
-	-	species from Sechuan BSWJ8120
(<i>Ranunculaceae</i>)	Hydrastis	canadensis
(<i>Papaveraceae</i>)	Hylomecon	hylomeconoides
-	-	- japonica
(<i>Clusiaceae</i>)	Hypericum	aff. uralum HWJ520

I

(<i>Illiciaceae</i>)	Illicium	simonsii BWJ8024
(<i>Balsaminaceae</i>)	Impatiens	kerriac BSWJ7220
-	-	aff. langbianensis HWJ1054
-	-	macrophylla BSWJ10157
-	-	omeiana
-	-	polineae BSWJ9722
-	-	puberula HWJK2063
(<i>Bignoniaceae</i>)	Incarvillea	compacta BWJ7620
-	-	lutea BWJ7784
-	-	zhongdianensis BWJ7692 etc
(<i>Papilionaceae</i>)	Indigofera	balfouriana BWJ7851
-	-	cassioides
-	-	heterantha
-	-	pendula BWJ7741
(<i>Asteraceae</i>)	Inula	hookeri GWJ9033
(<i>Iridaceae</i>)	Iris	barbatula BWJ7663 etc
-	-	chrysographes black form
-	-	clarkei BSWJ2122
-	-	cristata
-	-	ensata v. spontanea BSWJ1103 etc
-	-	formosana BSWJ3076
-	-	japonica BSWJ8921
-	-	pseudacorus from Japan
-	-	BSWJ5018
-	-	tectorum BWJ8191
(<i>Ranunculaceae</i>)	Isopyrum	nipponicum
-	-	- stoloniferum

J

(<i>Oleaceae</i>)	Jasminum	humile f. wallichianum BSWJ2559
-	-	officinale 'Crûg's Collection'
-	-	BSWJ2987
(<i>Berberidaceae</i>)	Jeffersonia	diphylla
-	-	dubia
-	-	dubia BSWJ984
(<i>Scrophulariaceae</i>)	Jovellana	violacea
(<i>Juglandaceae</i>)	Juglans	cathayensis from Taiwan
-	-	BSWJ6778 etc
-	-	- from China BWJ8097
-	-	mandshurica v. sieboldiana
-	-	BSWJ11026

K

<i>(Schisandraceae)</i>	Kadsura	japonica BSWJ4463 etc
<i>(Araliaceae)</i>	Kalopanax	septemlobus v. lutchuensis BSWJ5947
<i>(Hydrangeaceae)</i>	Kirengeshoma	palmata
	-	- v. koreana
<i>(Asphodelaceae)</i>	Kniphofia	caulescens
	-	northiae

L

<i>(Lythraaceae)</i>	Lagerstroemia	fauriei BSWJ6023
<i>(Lamiaceae)</i>	Lamium	orvala
<i>(Papilionaceae)</i>	Lathyrus	vernus
	-	- pink
<i>(Solanaceae)</i>	Leucophysalis	sinense BWJ8093
<i>(Lamiaceae)</i>	Leucosceptum	canum GWJ9424
	-	japonicum BSWJ10981 etc
	-	stellipilum v. formosana BSWJ1804 etc
	-	- v. tosaense BSWJ8892
<i>(Iridaceae)</i>	Libertia	grandiflora
<i>(Asteraceae)</i>	Ligularia	aff. calthifolia BSWJ2977 etc
	-	'Cheju Charmer' BSWJ1158
	-	corymbosa GWJ9404 etc
	-	dentata BSWJ10855
	-	fischeri from India BSWJ2570 etc
	-	from Japan BSWJ5540 etc
	-	from Korea BSWJ4478 etc
	-	'Gregynog Gold'
	-	intermedia BSWJ606a
	-	japonica 'Rising Sun' BSWJ6293
	-	przewalskii
	-	sibirica BSWJ4383
	-	- v. kaialpina BSWJ6185 etc
	-	- v. speciosa BSWJ5841 etc
	-	small sp. from China BWJ7686 etc
	-	stenocephala from China BWJ7964
	-	- from Taiwan BSWJ283
	-	'The Rocket'
<i>(Apiaceae)</i>	Ligusticum	sp. from China BWJ7668
<i>(Liliaceae)</i>	Lilium	canadense
	-	columbianum BSWJ9564
	-	disticum BSWJ794
	-	duchartrei
	-	formosanum BSWJ1589 etc
	-	hansonii BSWJ4756 etc
	-	henryi
	-	lancifolium (tigrinum) BSWJ4352 etc
	-	- 'Flore Pleno'
	-	lancifolium (tigrinum) v. fortunei BSWJ539
	-	leichtlinii BSWJ4519

(<i>Liliaceae</i>)	Lilium	leucanthum v. centifolium
	-	longiflorum BSWJ4885
	-	lophophorum
	-	nanum
	-	nepalense BSWJ2985 etc
	-	oxypetalum v. insigne
	-	pardalinum
	-	rosthornii
	-	speciosum BSWJ4847 etc
	-	superbum
	-	taliense
	-	tsingtauense BSWJ519 etc
	-	vollmeri
(<i>Lauraceae</i>)	Lindera	erythrocarpa BSWJ6271 etc
	-	sericea BSWJ11141 etc
	-	triloba BSWJ5570
(<i>Hamamelidaceae</i>)	Liquidambar	formosana BSWJ6855
(<i>Convallariaceae</i>)	Liriope	koreana BSWJ8821
	-	platyphylla BSWJ561 etc
(<i>Campanulaceae</i>)	Lobelia	excelsa BSWJ9513
	-	laxiflora BSWJ9064
	-	seguinii BSWJ7065
	-	sp. nova from China GEY125
	-	- from Vietnam BSWJ8220 etc
	-	tupa
(<i>Proteaceae</i>)	Lomatia	ferruginea
(<i>Caprifoliaceae</i>)	Lonicera	acuminata BSWJ3480 etc
	-	alseuosmoides
	-	glabrata BSWJ2150
	-	henryi BSWJ8109
	-	japonica BSWJ4423
	-	aff. lanceolata BSWJ7935
	-	sp. from Sikkim BSWJ2654
(<i>Myrtaceae</i>)	Luma	apiculata
(<i>Papilionaceae</i>)	Lupinus	bogotensis BSWJ4234 etc
	-	costaricensis BSWJ10487
	-	montanus BSWJ10309
(<i>Philesiaceae</i>)	Luzuriaga	radicans
(<i>Caryophyllaceae</i>)	Lychnis	cognata BSWJ4234 etc
(<i>Rosaceae</i>)	Lyonothamnus	floribundus ssp. aspleniifolius
(<i>Araceae</i>)	Lysichiton	americanus
(<i>Primulaceae</i>)	Lysimachia	clethroides
	-	aff. congestifolia HWJ846
(<i>Gesneriaceae</i>)	Lysionotus	gamosepalus BSWJ7241
	-	aff. kuangsiensis HWJ643
	-	pauciflora BSWJ189 etc

M

(<i>Magnoliaceae</i>)	Magnolia	sieboldii BSWJ4127
	-	cathcartii HWJ874
(<i>Berberidaceae</i>)	Mahonia	leschenaultii BSWJ9535
	-	nervosum BSWJ9562 etc
	-	oiwakensis BSWJ3660 etc
	-	pumila
(<i>Convallariaceae</i>)	Maianthemum	atropurpureum
	-	bifolium

(<i>Convallariaceae</i>)	<i>Maianthemum</i>	<i>bifolium</i> ssp. <i>kamtschaticum</i> BSWJ4360 etc
-	-	- - v. <i>minima</i>
-	-	<i>canadense</i>
-	-	<i>comaltepecense</i> BSWJ10215
-	-	<i>flexuosum</i> BSWJ9069 etc
-	-	aff. <i>flexuosum</i> BSWJ9026
-	-	<i>formosanum</i> BSWJ349 etc
-	-	<i>forrestii</i>
-	-	<i>fuscum</i>
-	-	<i>henryi</i>
-	-	<i>japonicum</i> BSWJ1179 etc
-	-	<i>laxiflora</i> BSWJ10305
-	-	<i>oleraceum</i> BSWJ2148
-	-	<i>racemosa</i>
-	-	aff. <i>salvinii</i> BSWJ9000 etc
-	-	<i>stellatum</i>
-	-	<i>szuechuanicum</i>
-	-	<i>tatsienensis</i>
(<i>Magnoliaceae</i>)	<i>Manglietia</i>	<i>chevalieri</i> HWJ533 etc
(<i>Woodsiaceae</i>)	<i>Matteuccia</i>	<i>struthiopteris</i>
(<i>Papaveraceae</i>)	<i>Meconopsis</i>	<i>betonicifolia</i>
-	-	<i>chelidoniifolia</i>
-	-	× <i>sheldonii</i>
(<i>Lamiaceae</i>)	<i>Meehania</i>	<i>urticifolia</i> BSWJ1210
(<i>Meliaceae</i>)	<i>Melia</i>	<i>azedarach</i> BSWJ7039
(<i>Meliosmaceae</i>)	<i>Meliosma</i>	<i>parvifolia</i> BSWJ8408
(<i>Boraginaceae</i>)	<i>Mertensia</i>	<i>virginica</i>
(<i>Asclepiadaceae</i>)	<i>Metaplexis</i>	<i>japonica</i> BSWJ8459
(<i>Celastraceae</i>)	<i>Microtopis</i>	<i>petelotii</i> HWJ719
(<i>Poaceae</i>)	<i>Miscanthus</i>	<i>chejuensis</i> BSWJ8803
-	-	<i>flavidus</i> BSWJ6749
-	-	<i>floridulus</i> HWJ522 etc
-	-	<i>nepalensis</i> 'Shikola' BSWJ2302 etc
-	-	<i>transmorrisonensis</i> BSWJ3697
(<i>Rubiaceae</i>)	<i>Mitchella</i>	<i>repens</i>
-	-	<i>undulata</i> BSWJ10928
-	-	<i>undulata</i> f. <i>quelpartensis</i> BSWJ4402
(<i>Saxifragaceae</i>)	<i>Mitella</i>	<i>formosana</i> BSWJ125
-	-	<i>japonica</i> BSWJ4971 etc
-	-	<i>kiusiana</i> BSWJ5401
-	-	<i>makinoi</i> BSWJ4992
-	-	<i>pauciflora</i> BSWJ6361
-	-	<i>stylosa</i> BSWJ5669
-	-	<i>yoshinagae</i> BSWJ4893 etc
(<i>Gesneriaceae</i>)	<i>Mitraria</i>	<i>coccinea</i> Lake Puye form
(<i>Apiaceae</i>)	<i>Molopospermum</i>	<i>peloponnesiacum</i>
(<i>Saxifragaceae</i>)	<i>Mukdenia</i>	<i>acanthifolia</i>
-	-	<i>rossii</i>
(<i>Boraginaceae</i>)	<i>Myosotidium</i>	<i>hortensia</i>
(<i>Apiaceae</i>)	<i>Myrrhidendron</i>	<i>donnellsmithii</i> BSWJ10484 etc
-	-	<i>glaucescens</i> BSWJ10699

N

(<i>Berberidaceae</i>)	Nandina	domestica BSWJ4923 etc
(<i>Rosaceae</i>)	Neillia	thyrsiflora v. tonkinensis HWJ505
(<i>Lamiaceae</i>)	Nepeta	stewartiana BWJ7999
	-	subsessilis
(<i>Amaryllidaceae</i>)	Nerine	bowdenii 'Mollie Cowie'
(<i>Liliaceae</i>)	Nomocharis	aperta
	-	pardanthina f. punctata

O

(<i>Onagraceae</i>)	Oenothera	'Finley's Fancy' BSWJ9043'
(<i>Woodsiaceae</i>)	Onoclea	sensibilis
(<i>Convallariaceae</i>)	Ophiopogon	caulescens HWJ590 etc
	-	formosana BSWJ3659 etc
	-	intermedius v. parviflora HWJK2093
	-	japonicus BSWJ1871
	-	scaber BSWJ1842 etc
	-	sp. from Vietnam BWJ8244
	-	wallichianus v. pauciflora GWJ9387
(<i>Saxifragaceae</i>)	Oresitrophe	rupifraga
(<i>Lamiaceae</i>)	Origanum	'Nymphenburg'
	-	'Rotkugel'
	-	vulgaris formosanum BSWJ3180
(<i>Iridaceae</i>)	Orthrosanthus	chimborancesis BSWJ10234 etc
(<i>Apiaceae</i>)	Osmorhiza	aristata BSWJ1607 etc
(<i>Osmundaceae</i>)	Osmunda	claytoniana
(<i>Scrophulariaceae</i>)	Ourisia	coccinea
	-	'Loch Ewe'
(<i>Oxalidaceae</i>)	Oxalis	oregana
	-	- f. smalliana

P

(<i>Cruciferae</i>)	Pachyphragma	macrophyllum
(<i>Buxaceae</i>)	Pachysandra	axillaris 'Crûg's Cover' BWJ8032
	-	procumbens
(<i>Rubiaceae</i>)	Paederia	scandens
	-	- v. tomentosa HWJ656
(<i>Paeoniaceae</i>)	Paeonia	delavayi BWJ7775
(<i>Araliaceae</i>)	Panax	japonicus BWJ7932 etc
(<i>Trilliaceae</i>)	Paris	bockiana
	-	chinensis
	-	- from Taiwan BSWJ265 etc
	-	delavayi
	-	fargesii
	-	- v. brevipetalata
	-	- v. petiolata
	-	forrestii
	-	incompleta
	-	japonica
	-	lancefolia
	-	- from Taiwan BSWJ3044 etc

<i>(Trilliaceae)</i>	Paris	mairei
	-	polyphylla
	-	polyphylla BSWJ2125 etc
	-	- v. stenophylla
	-	quadrifolia
	-	tetraphylla
	-	thibetica
	-	- v. apetala
	-	verticillata
<i>(Papilionaceae)</i>	Parochetus	communis Golden Triangle form BSWJ7215
<i>(Vitaceae)</i>	Parthenocissus	henryana
	-	himalayana v. rubrifolia
	-	quinquefolia 'Guy's Garnet'
	-	semicordata BSWJ6551
	-	thomsonii BWJ8123
	-	tricuspidata 'Crûg Compact' BSWJ1162
<i>(Passifloraceae)</i>	Passiflora	cumbalensis BSWJ10668
	-	aff. mixta BSWJ10756
	-	umbilicata
<i>(Valerianaceae)</i>	Patrinia	gibbosa BSWJ874
	-	scabiosifolia BSWJ8740
<i>(Scrophulariaceae)</i>	Paulownia	kawakamii BSWJ6784
	-	× taiwaniana BSWJ7134
	-	tomentosa coreana from Ullüngdō BSWJ8503
<i>(Convallariaceae)</i>	Peliosanthus	monticola BSWJ5183
<i>(Saxifragaceae)</i>	Peltoboykinia	watanabei
<i>(Poaceae)</i>	Pennisetum	alopecuroides f. erythrochaetum 'Ferris' BSWJ8413
<i>(Scrophulariaceae)</i>	Penstemon	aff. gentianoides BSWJ10249 etc
<i>(Araliaceae)</i>	Pentapanax	leschenaultii HWJK2385
<i>(Asclepidaceae)</i>	Periploca	purpurea BSWJ7235
<i>(Polygonaceae)</i>	Persicaria	amplexicaulis v. pendula HWJK2255
	-	milletii
	-	tenuicaulis
	-	virginiana 'Painters Palette'
<i>(Asteraceae)</i>	Petasites	formosanus BSWJ3025
	-	frigidus v. palmatus
<i>(Gesneriaceae)</i>	Petrocosmea	kerrii 'Crème de Crûg' BWJ6634
	-	aff. martinii 'Crûg's Capricious' BWJ7249
<i>(Apiaceae)</i>	Peucedanum	japonicum BSWJ8816b
	-	siamicum BSWJ6487
<i>(Rutaceae)</i>	Phellodendron	amurense BWJ11000
	-	japonicum BSWJ11175
<i>(Hydrangeaceae)</i>	Philadelphus	aff. calvescens BWJ8005
	-	delavayi v. purpurascens BWJ7540
	-	aff. incanus BSWJ8616
	-	mexicana BSWJ10253 etc
	-	schrenkii BSWJ8616
	-	tomentosus BSWJ2707 etc

(<i>Philesiaceae</i>)	Philesia	magellanica
(<i>Lamiaceae</i>)	Phlomis	atropurpurea BWJ7922
(<i>Rosaceae</i>)	Photinia	microphylla HWJ564
	-	villosa BSWJ8877 etc
(<i>Solanaceae</i>)	Physaliastrum	sinense BWJ8093
(<i>Solanaceae</i>)	Physalis	angulata BSWJ7016 etc
	-	campanula BSWJ10409
(<i>Phytolaccaceae</i>)	Phytolacca	acinosa HWJ647
	-	americana BSWJ1000 etc
	-	icosandra BSWJ8988 etc
	-	japonica BSWJ4897 etc
	-	octandra BSWJ9514 etc
	-	rivinioides BSWJ10264
	-	rugosa BSWJ10263
(<i>Ericaceae</i>)	Pieris	formosa BSWJ2257
(<i>Hydrangeaceae</i>)	Pileostegia	viburnoides BSWJ3565 etc
(<i>Araceae</i>)	Pinellia	cordata
	-	ternata BSWJ3532
	-	tripartita BSWJ1102
	-	- 'Purple Face' BSWJ4850
(<i>Pittosporaceae</i>)	Pittosporum	daphniphylloides
	-	BSWJ6789 etc
	-	illicoides v. angustifolium
	-	BSWJ6771 etc
	-	- v. illicoides BSWJ6712 etc
	-	tobira BSWJ8757
(<i>Hydrangeaceae</i>)	Platycrater	arguta BSWJ6266 etc
(<i>Apiaceae</i>)	Pleurospermum	aff. amabile BWJ7886
	-	benthamii BSWJ2988
	-	calcareum BWJ8008
(<i>Berberidaceae</i>)	Podophyllum	delavayi
	-	difforme
	-	hexandrum chinensis
	-	- chinensis BWJ7908
	-	peltatum
	-	pleianthum
	-	pleianthum BSWJ282
	-	- short form
	-	versipelle
(<i>Convallariaceae</i>)	Polygonatum	alte-lobatum BSWJ286 etc
	-	aff. anomalum BSWJ6599
	-	arisanense BSWJ1639
	-	biflorum
	-	cirrhifolium
	-	cryptanthum
	-	curvistylum
	-	cyrtonema (Hua) BSWJ271 etc
	-	desoulavyi v. yezoense
	-	BSWJ764
	-	falcatum BSWJ5101 etc
	-	filipes
	-	fuscum
	-	graminifolium
	-	hirtum
	-	hookeri
	-	humile
	-	× hybridum

(<i>Convallariaceae</i>)	Polygonatum	× hybridum 'Striatum'
-		inflatum BSWJ922 etc
-		involucratum BSWJ4285 etc
-		kingianum yellow flowering variety BSWJ6562 etc
-		lasianthum BSWJ671 etc
-		nodosum
-		odoratum
-		- v. maximowiczii
-		- v. pluriflorum 'Variegatum'
-		- 'Red Stem'
-		oppositifolium BSWJ2537 etc
-		pubescens
-		punctatum BSWJ2395 etc
-		sibiricum
-		stenophyllum
-		aff. tessellatum BSWJ9752
-		tonkinensis HWJ551 etc
-		verticillatum
-		zanlanscianense
(<i>Rosaceae</i>)	Polylepis	australis
(<i>Dryopteridaceae</i>)	Polystichum	munitum
-		aff. neobolatum BWJ8182
-		polyblepharum
-		rigens
(<i>Primulaceae</i>)	Primula	aff. capitata DJHC00487
-		glomerata GWJ9213 etc
-		jesoana BSWJ618
-		kisoana
-		- v. shikokiana
-		longipes DHJC0083
-		miyabeana BSWJ3407 etc
-		poissonii BWJ7525 etc
-		secundiflora BWJ7547b etc
-		sikkimensis BWJ7547 etc
(<i>Winteraceae</i>)	Pseudowintera	colorata
(<i>Papaveraceae</i>)	Pteridophyllum	racemosum
(<i>Pteridaceae</i>)	Pteris	angustipinna BSWJ6738 etc
(<i>Boraginaceae</i>)	Pulmonaria	angustifolia
-		- 'Blaues Meer'
-		'Beth's Blue'
-		'Blue Pearl'
-		'Botanic Hybrid'
-		'Lewis Palmer'
-		'Little Star'
-		mollis
-		saccharata 'Brentor'
-		- pink-flowered
-		'Saint Ann's'
-		'Sissinghurst White'
(<i>Rosaceae</i>)	Purshia	aff. mexicana BSWJ9040

R

(<i>Berberidaceae</i>)	Ranzania	japonica
(<i>Convallariaceae</i>)	Reineckea	carnea
-		carnea BSWJ4808

(<i>Convallariaceae</i>)	Reineckea	carnea 'Baoxing Booty' BWJ8152
	-	- 'Variegata'
(<i>Rosaceae</i>)	Rhaphiolepis	indica BSWJ8405
	-	umbellata f. ovata BSWJ8401
(<i>Polygonaceae</i>)	Rheum	acuminatum HWJCM252 etc
	-	alexandrae BWJ7670
	-	delavayi BWJ7592
(<i>Crassulaceae</i>)	Rhodiola	bupleuroides HWJK2258
	-	cretinii HWJK2283
	-	aff. purpureoviridis BWJ7544
	-	sinuata HWJK2318 etc
	-	wallichiana HWJK2352 etc
(<i>Ericaceae</i>)	Rhododendron	arboreum BSWJ2708 etc
	-	barbatum BSWJ2237 etc
	-	campanulatum HWJCM195
	-	campylocarpum BSWJ2462
	-	montroseanum hybrid
	-	niveum BSWJ2675
	-	thomsonii BSWJ2638
	-	wallichii BSWJ2480
	-	wightii BSWJ2431
(<i>Hypoxidaceae</i>)	Rhodohypoxis	baurii pink
(<i>Rosaceae</i>)	Rhodotypos	scandens
(<i>Anacardiaceae</i>)	Rhus	ambigua BSWJ3656 etc
	-	- large leafed BSWJ10884
(<i>Grossulariaceae</i>)	Ribes	griffithiana GWJ9331
(<i>Saxifragaceae</i>)	Rodgersia	pinnata BWJ7741a
	-	- 'Crûg Cardinal'
	-	- pink
	-	pinnata white
	-	podophylla
	-	sambucifolia BWJ7899
(<i>Convallariaceae</i>)	Rohdea	japonica BSWJ4853 etc
	-	watanabei BSWJ1911 etc
(<i>Rosaceae</i>)	Rosa	macrophylla BSWJ2603 etc
	-	sericea v. morrisonensis BSWJ7139
	-	- ssp. omeiensis BWJ7550
(<i>Zingiberaceae</i>)	Roscoea	alpina
	-	- short form
	-	auriculata early form
	-	- late form
	-	australis
	-	'Beesiana'
	-	- pale flowered
	-	purpurea HWJK2020 etc
	-	scillifolia dark-flowered form
(<i>Rosaceae</i>)	Rubus	arcticus
	-	buergeri BSWJ5555
	-	formosensis BSWJ1798
	-	aff. gachetensis BSWJ10603
	-	henryi v. bambusarum
	-	lineatus
	-	- from Nepal HWJK2045
	-	- from Sumatra BSWJ11261
	-	- from Vietnam HWJ892

(<i>Rosaceae</i>)	Rubus	parviflorus double form
-	-	pectinellus v. trilobus BSWJ1669b
-	-	pentalobus BSWJ3878
-	-	rolfei BSWJ3066 etc
-	-	splendidissimus BSWJ2361 etc
-	-	swinhoei BSWJ1735
-	-	taiwanicola BSWJ317
-	-	treutleri BSWJ2139
-	-	trilobus BSWJ9096

S

(<i>Salicaceae</i>)	Salix	fargesii
(<i>Lamiaceae</i>)	Salvia	ampelophylla BSWJ10751
-	-	bulleyana
-	-	campanulata GWJ9294 etc
-	-	aff. chamaedryoides BSWJ9032
-	-	digitaloides BWJ7777
-	-	flava v. megalantha BWJ7974
-	-	aff. glabrescens BSWJ10919
-	-	aff. holwayi BSWJ8995
-	-	aff. idochroa BSWJ10252
-	-	karwinskii BSWJ9081 etc
-	-	lavanduloides BSWJ9053
-	-	mexicana BSWJ10288 etc
-	-	nana BSWJ10272
-	-	nipponica BSWJ5829
-	-	aff. oblongifolia BSWJ10315
-	-	omeiana 'Crûg Thundercloud' BWJ8062
-	-	polystachya BWJ8985
-	-	przewalskii BWJ7920 etc
(<i>Caprifoliaceae</i>)	Sambucus	chinensis BSWJ6542
-	-	formosana BSWJ1543
-	-	javanica / chinensis BSWJ4047
-	-	mexicana BSWJ10349
-	-	racemosa 'Crûg Lace'
(<i>Papaveraceae</i>)	Sanguinaria	canadensis
(<i>Rosaceae</i>)	Sanguisorba	hakusanensis BSWJ8709
(<i>Euphorbiaceae</i>)	Sapium	japonicum BSWJ8744
(<i>Buxaceae</i>)	Sarcococca	balansae BSWJ7285 etc
-	-	confusa
-	-	hookeriana HWJK2393
-	-	- v. digyna 'Purple Stem'
-	-	- v. - 'Schillingii'
-	-	- v. hookeriana BSWJ2585 etc
-	-	- v. humilis
-	-	ruscifolia
-	-	- v. chinensis
-	-	saligna
-	-	wallichii BSWJ2291 etc
(<i>Aristolochiaceae</i>)	Saruma	henryi
(<i>Araceae</i>)	Sauromatum	venosum
(<i>Asteraceae</i>)	Saussurea	obvallata HWJK2272
-	-	uniflora GWJ9269
(<i>Saxifragaceae</i>)	Saxifraga	cortusifolia BSWJ5879
-	-	- 'Ruby Wedding' BSWJ4951
-	-	- v. stolonifera BSWJ6205

(<i>Saxifragaceae</i>)	<i>Saxifraga</i>	'Cuscutiformis'
	-	epiphylla 'Little Piggy'
	-	- 'Precious Piggy' BSWJ7750
	-	- 'Purple Piggy'
	-	fortunei BSWJ6346
	-	- f. alpina from Hokkaido
	-	- 'Fumiko' BSWJ6124
	-	- v. koraiensis BSWJ8688
	-	- f. partita
	-	- v. pilosissima BSWJ8557 etc
	-	- 'Rubrifolia'
	-	hirsuta
	-	imparilis
	-	mertensiana
	-	nipponica 'Pink Pagoda'
	-	rotundifolia ssp. chrysospleniifolia
	-	rufescens BSWJ7510 etc
	-	sendaica
	-	stolonifera BSWJ4972
	-	- 'Hime'
	-	- 'Kinki Purple' BSWJ4972
	-	veitchiana
(<i>Araliaceae</i>)	<i>Schefflera</i>	alpinia HWJ8247 etc
	-	aff. brevipedicellata HWJ870
	-	aff. chapana HWJ983
	-	aff. enneaphylla HWJ1018
	-	gracilis HWJ622
	-	hoi v. fantsipanensis BSWJ8228
	-	impressa GWJ9375
	-	microphylla BSWJ3872
	-	petelotii BSWJ8210 etc
	-	taiwaniana BSWJ7096 etc
(<i>Schisandraceae</i>)	<i>Schisandra</i>	arisanensis BSWJ3050
	-	aff. bicolor BSWJ8151
	-	chinensis BSWJ4611 etc
	-	grandiflora BSWJ2245
	-	- 'Jamu' (m) BSWJ2245
	-	- 'Lahlu' (f) BSWJ2245
	-	henryi v. yunnanensis BSWJ6546
	-	aff. neglecta BSWJ7739
	-	nigra BSWJ5897 etc
	-	propinqua v. sinensis BSWJ8148 etc
	-	rubiflora BSWJ7557
	-	rubriflora × grandiflora
	-	sphaerandra BSWJ7898
	-	verrucosa HWJ664
(<i>Hydrangeaceae</i>)	<i>Schizophragma</i>	hydrangeoides BSWJ5954 etc
	-	- 'Moonlight'
	-	- f. quelpartensis BSWJ1160
	-	- 'Roseum'
	-	- from Ullüngdō BSWJ8505 etc
	-	- from Yakushima BSWJ6119
	-	integrifolium v. fauriei BSWJ7052 etc

(<i>Hydrangeaceae</i>)	Schizophragma	aff. megalocarpum BSWJ8150
(<i>Trilliaceae</i>)	Scoliopus	hallii
(<i>Solanaceae</i>)	Scopolia	carniolica
(<i>Lamiaceae</i>)	Scutellaria	maekawae BSWJ5557a
(<i>Crassulaceae</i>)	Sedum	aff. cryptomerioides BSWJ054
	-	kamtschaticum BSWJ10870
	-	- v. ellacombeanum BSWJ8853
	-	linearifolium v. balfouri HWJ824
	-	orbiculatum BSWJ723
	-	takesimense BSWJ8518 etc
	-	viviparum BSWJ8480 etc
(<i>Apiaceae</i>)	Selinum	wallichianum HWJK2224 etc
(<i>Ranunculaceae</i>)	Semiaquilegia	ealcarata
	-	- f. bicolor
	-	- 'Snowbell'
(<i>Bambusoideae</i>)	Semiarundinaria	fastuosa v. viridis
(<i>Asteraceae</i>)	Senecio	formosoides BSWJ10736 etc
	-	formosus BSWJ10700 etc
	-	mortoni GWJ9419
	-	smithii
	-	sp. from Colombia BSWJ10703
	-	sp. from Guatemala BSWJ10361 etc
	-	tanguiticus
(<i>Caesalpiniaceae</i>)	Senna	aff. alata BSWJ9772
(<i>Poaceae</i>)	Setaria	aff. palmifolia BWJ8132
(<i>Caryophyllaceae</i>)	Silene	nigrescens HWJK2287
(<i>Lardizabalaceae</i>)	Sinofranchetia	chinensis
(<i>Iridaceae</i>)	Sisyrinchium	convolutum BSWJ9117 etc
	-	aff. trinerva BSWJ10459
(<i>Rutaceae</i>)	Skimmia	aff. arborescens GWJ9374
	-	- ssp. nitida BSWJ8239
	-	arisanensis BSWJ7114 etc
	-	× confusa 'Kew Green'
	-	japonica female BSWJ5053
	-	japonica male BSWJ5053
	-	- v. distincte-venulosa BSWJ3544
	-	- v. intermedia f. repens BSWJ5560
	-	- ssp. reevesiana BSWJ3763 etc
	-	laureola GWJ9364 etc
	-	- v. multinerva BSWJ8259
(<i>Smilacaceae</i>)	Smilax	aspera
	-	china BSWJ4427 etc
	-	glaucophylla BSWJ2971
	-	nipponica BSWJ4331
	-	sieboldii BSWJ744 etc
(<i>Solanaceae</i>)	Solanum	aff. stenophyllum BSWJ10744
	-	shrubby sp. from Guatemala BSWJ10395
(<i>Rosaceae</i>)	Sorbaria	aff. assurgens BWJ8185
	-	sorbifolia v. stellipila BSWJ776 etc

(<i>Rosaceae</i>)	Sorbus	aff. <i>alnifolia</i> BSWJ10948
-	-	aff. <i>amurensis</i> BSWJ8665
-	-	commixta v. <i>rufroferruginea</i> BSWJ6078
-	-	aff. <i>granulosa</i> HWJ1041
-	-	<i>japonica</i> BSWJ10813 etc
-	-	aff. <i>ligustrifolia</i> HWJ984
-	-	<i>microphylla</i> GWJ9252
-	-	<i>randaiensis</i> BSWJ3202
-	-	<i>thompsonii</i> GWJ9363
-	-	aff. <i>thibetica</i> BWJ7757a
-	-	<i>verrucosa</i> v. <i>subulata</i> HWJ579 etc
(<i>Convallariaceae</i>)	Speirantha	convallarioides
(<i>Rosaceae</i>)	Spiraea	formosana BSWJ1597
-	-	hayatana RWJ10003 etc
(<i>Lamiaceae</i>)	Stachys	calcicola BSWJ10427
-	-	coccinea BSWJ10418
(<i>Stachyuraceae</i>)	Stachyurus	himalaicus HWJCM009 etc
-	-	lancifolius BSWJ5690 etc
-	-	praecox BSWJ8898
-	-	sigeyosii BSWJ6915 etc
-	-	sp. from Nepal HWJK2052
-	-	aff. <i>szechuanensis</i> BWJ8153
(<i>Staphyleaceae</i>)	Staphylea	bumalda BSWJ11053
(<i>Lardizabalaceae</i>)	Stauntonia	hexaphylla BSWJ4858
-	-	obovatifoliola BSWJ3685
-	-	purpurea BSWJ3690 etc
-	-	yaoshanensis BSWJ8223 etc
(<i>Menispermaceae</i>)	Stephania	<i>japonica</i> BSWJ2396
(<i>Convallariaceae</i>)	Streptopus	amplexicaulis
(<i>Acanthaceae</i>)	Strobilanthes	attenuata
-	-	flexicaulis BSWJ354
-	-	rankanensis BSWJ1771
-	-	wallichii
(<i>Papaveraceae</i>)	Stylophorum	diphyllum
-	-	lasiocarpum
(<i>Styracaceae</i>)	Styrax	formosana v. <i>formosana</i> BSWJ6797 etc
-	-	formosana v. <i>formosana</i> v. <i>hayatiana</i> BSWJ6823
-	-	<i>japonica</i> BSWJ8770 etc
-	-	obassia BSWJ8428 etc
(<i>Caprifoliaceae</i>)	Symphoricarpos	guatemalensis BSWJ10316
(<i>Boraginaceae</i>)	Symphytum	'Hidcote Blue'
(<i>Asteraceae</i>)	Syneilesis	aconitifolia BSWJ879
-	-	palmata BSWJ4149 etc
-	-	subglabrata BSWJ298
-	-	aff. <i>tagawae</i> BSWJ11191
(<i>Asteraceae</i>)	Synurus	pungens BSWJ10997

T

(<i>Saxifragaceae</i>)	Tanakaea	radicans
(<i>Proteaceae</i>)	Telopea	truncata
(<i>Rutaceae</i>)	Tetradium	glabrifolium BSWJ3541
-	-	ruticarpum BSWJ6882
(<i>Araliaceae</i>)	Tetrapanax	papyrifera 'Rex' BSWJ1925

(<i>Ranunculaceae</i>)	<i>Thalictrum</i>	<i>actaeifolium</i> BSWJ4664 etc
	-	- <i>v. brevistylum</i> BSWJ8819
	-	<i>aquilegifolium v. sibiricum</i> BSWJ11007
	-	<i>chelidonii</i> HWJK2216
	-	<i>delavayi</i> BWJ7903 etc
	-	- purple stemmed form BWJ7748
	-	- <i>v. acuminatum</i> BWJ7535 etc
	-	- <i>v. decorum</i>
	-	- <i>v. mucronatum</i>
	-	<i>diffusiflorum</i>
	-	aff. <i>elegans</i> HWJK2271
	-	<i>filamentosum</i> BSWJ777 etc
	-	- <i>v. yakusimense</i> BSWJ6094
	-	aff. <i>foetidum</i> BWJ7558
	-	<i>ichangense</i> BSWJ8203
	-	- <i>v. minus</i> 'Chinese Chintz'
	-	<i>javanicum</i> BSWJ9506
	-	- <i>v. puberulum</i> BSWJ6770
	-	<i>johnsonii</i> BSWJ9127 etc
	-	<i>omeiense</i> BWJ8049
	-	<i>osmundifolium</i>
	-	<i>platycarpum</i> HWJCM367
	-	<i>przewalskii</i>
	-	<i>punctatum</i> BSWJ1272
	-	<i>reniforme</i> BSWJ2610 etc
	-	<i>reticulatum</i> BWJ7624
	-	<i>rochebruneanum</i>
	-	<i>simplex v. brevipes</i> BSWJ8883 etc
	-	<i>tenuisubulatum</i> BWJ7929
	-	<i>yunnanense</i>
(<i>Saxifragaceae</i>)	<i>Tiarella</i>	<i>polyphylla</i>
	-	- 'Baoxing Pink' BWJ8085
(<i>Iridaceae</i>)	<i>Tigrida</i>	<i>pavonia</i> from Mexico BSWJ10244
(<i>Apiaceae</i>)	<i>Tilingia</i>	<i>ajanensis</i> BSWJ11202
(<i>Apocynaceae</i>)	<i>Trachelospermum</i>	<i>asiaticum</i> BSWJ4814
	-	- <i>v. intermedium</i> BSWJ8733
	-	<i>jasminoides</i> BSWJ5117 etc
	-	- 'Wilsonii' W776
(<i>Boraginaceae</i>)	<i>Trachystemon</i>	<i>orientalis</i>
(<i>Ranunculaceae</i>)	<i>Trautvetteria</i>	<i>caroliniensis v. japonica</i>
	-	- <i>v. occidentalis</i>
(<i>Convallariaceae</i>)	<i>Tricyrtis</i>	<i>affinis</i> BSWJ5640 etc
	-	- 'Early Bird' BSWJ5525
	-	<i>flava</i>
	-	<i>formosana</i> BSWJ355 etc
	-	- <i>v. glandosa</i> BSWJ7084
	-	- - 'Blu-Shing Toad' BSWJ052
	-	- <i>v. grandiflora</i> BSWJ6905
	-	- 'Small Wonder' BSWJ306
	-	- 'Spotted Toad' BSWJ1769
	-	- <i>v. stolonifera</i> BSWJ7046
	-	- 'Taroko Toad' BSWJ6705
	-	- 'Tiny Toad' BSWJ7071
	-	- 'Variegata'

(<i>Convallariaceae</i>)	Tricyrtis	formosana 'Velvet Toad' RWJ10104
	-	hirta BSWJ2827 etc
	-	ishiiana
	-	- v. surugensis
	-	lasiocarpa BSWJ3635 etc
	-	latifolia BSWJ10996
	-	'Lilac Towers'
	-	macrantha
	-	- ssp. macranthopsis
	-	- - 'Juro'
	-	macropoda from Japan BSWJ8829 etc
	-	- from Korea BSWJ1271 etc
	-	maculata HWJCM470 etc
	-	nana
	-	ohsumiensis
	-	perfoliata
	-	- 'Spring Shine'
	-	setouchiensis BSWJ4701
	-	species from Taiwan BSWJ3229
	-	suzukii RWJ10111 etc
(<i>Trilliaceae</i>)	Trillidium	govianum
(<i>Trilliaceae</i>)	Trillium	albidum
	-	angustipetalum
	-	apetalon
	-	camschatcense
	-	catesbyi
	-	cernuum
	-	chloropetalum v. giganteum
	-	cuneatum
	-	erectum
	-	- f. albiflorum
	-	flexipes
	-	grandiflorum
	-	luteum
	-	pusillum v. virginianum
	-	recurvatum
	-	rugelii
	-	smallii
	-	sulcatum
	-	tschonoskii
	-	- v. himalaicum
	-	undulatum
	-	vaseyi
(<i>Caprifoliaceae</i>)	Triostemon	himalayanum BWJ7907
(<i>Gentianaceae</i>)	Tripterospermum	aff. chevalieri BSWJ8359
	-	cordifolium BSWJ081
	-	aff. hirticalyx BSWJ8264
	-	japonicum BSWJ5556 etc
	-	lanceolatum BSWJ085 etc
	-	taiwanense BSWJ1205 etc
(<i>Celastraceae</i>)	Tripterygium	regelii BSWJ5453 etc
	-	- v. occidentale BSWJ10921
(<i>Trochodendraceae</i>)	Trochodendron	aralioides from Taiwan BSWJ1651 etc

(<i>Ranunculaceae</i>)	Trollius	aff. buddae BSWJ7958
	-	yunnanensis var. eupetalus BSWJ7614
(<i>Tropaeolaceae</i>)	Tropaeolum	ciliatum
	-	speciosum
	-	sylvestre
	-	tuberosum v. lineamaculatum 'Ken Aslet'
	-	- v. piliferum 'Sidney'
(<i>Convallariaceae</i>)	Tupistra	aurantiaca BSWJ2267 etc
	-	wattii BSWJ8297

U

(<i>Convallariaceae</i>)	Uvularia	grandiflora
	-	- v. pallida
	-	- 'Susie Lewis'
	-	perfoliata
	-	sessilifolia

V

(<i>Ericaceae</i>)	Vaccinium	dunalianum v. megaphyllum HWJ515
(<i>Berberidaceae</i>)	Vancouveria	chrysantha
	-	hexandra
	-	planipetala
(<i>Melanthiaceae</i>)	Veratrum	album
	-	- v. flavum
	-	- v. oxysepalum
	-	formosanum BSWJ1575 etc
	-	grandiflorum BSWJ4416 etc
	-	longebracteatum
	-	maackii v. japonicum
	-	- v. maackii BSWJ5831 etc
	-	nigrum
	-	schindleri BSWJ4068
	-	stamineum
	-	ussierense BSWJ4450
(<i>Scrophulariaceae</i>)	Verbascum	bombyciferum BSSS232
(<i>Scrophulariaceae</i>)	Veronicastrum	aff. latifolium BSWJ8158
	-	sibiricum BSWJ6352
	-	- ssp. japonicum v. australe BSWJ11009
	-	villosulum
(<i>Caprifoliaceae</i>)	Viburnum	aff. annamensis BSWJ8302
	-	arboricolum BSWJ6913 etc
	-	atrocyaneum BSWJ7272 etc
	-	awabuki BSWJ8404
	-	betulifolium BSWJ1619
	-	- 'Hohuanshan' BSWJ3200
	-	buddlejifolium
	-	× burkwoodii
	-	carlesii BSWJ8838
	-	coriaceum BSWJ9719
	-	cylindricum
	-	- from China BSWJ7778
	-	- from Nepal HWJCM434

(<i>Caprifoliaceae</i>)	<i>Viburnum</i>	<i>cylindricum</i> from Thailand BSWJ6479 etc
-	-	<i>dilatatum</i> BSWJ8734
-	-	aff. <i>erosum</i> BSWJ3585
-	-	<i>foetidum</i> v. <i>rectangulatum</i> BSWJ3637 etc
-	-	<i>furcatum</i> BSWJ5939 etc
-	-	<i>grandiflorum</i> HWJK2163
-	-	<i>harryanum</i>
-	-	<i>japonicum</i> BSWJ5968
-	-	<i>koreanum</i> BSWJ4231
-	-	<i>luzonicum</i> BSWJ3930
-	-	aff. - v. <i>floribundum</i> BSWJ8281
-	-	- v. <i>oblongum</i> BSWJ3549
-	-	<i>nervosum</i> BSWJ2251a
-	-	<i>odoratissimum</i> RWJ10046
-	-	<i>pinchinchense</i> BSWJ10660
-	-	<i>propinquum</i> BSWJ4009
-	-	<i>punctatum</i> BSWJ9532
-	-	<i>sargentii</i> BSWJ8695
-	-	<i>sieboldii</i> BSWJ2837
-	-	sp. from Mexico BSWJ10290
-	-	sp. from N. India GWJ9388
-	-	sp. from Sikkim GWJ9227
-	-	<i>taiwanianum</i> BSWJ3009 etc
-	-	aff. <i>tinoides</i> BSWJ10757
-	-	<i>urceolatum</i> BSWJ6988
-	-	aff. <i>venustum</i> BSWJ10477
-	-	<i>wrightii</i> BSWJ8780 etc
-	-	- v. <i>stipellatum</i> BSWJ5844 etc
(<i>Violaceae</i>)	<i>Viola</i>	<i>adenothrix</i> v. <i>tsugitakaensis</i> BSWJ6728
-	-	<i>senzanensis</i> BSWJ6717
-	-	sp. from Vietnam BSWJ8301
-	-	<i>verecunda</i> BSWJ604a
(<i>Vitaceae</i>)	<i>Vitis</i>	<i>amurensis</i> BSWJ4138
-	-	<i>coignetiae</i> BSWJ4744 etc
-	-	- v. <i>glabrescens</i> BSWJ8537
-	-	- from Japan BSWJ10882
-	-	- from Korea BSWJ4550 etc
-	-	<i>flexuosa</i> BSWJ5568 etc
-	-	- v. <i>choii</i> BSWJ4101
-	-	<i>piasezkii</i> BSWJ5236
-	-	- v. <i>pagnuccii</i>
-	-	<i>riparia</i>
-	-	'Spetchley Red'
-	-	<i>thunbergii</i> BSWJ4702
W		
(<i>Rosaceae</i>)	<i>Waldsteinia</i>	<i>ternata</i>
(<i>Caprifoliaceae</i>)	<i>Weigela</i>	<i>florida</i> BSWJ8439
-	-	<i>middendorffiana</i>
-	-	<i>subsessilis</i> BSWJ1056 etc
(<i>Thymelaeaceae</i>)	<i>Wikstroemia</i>	<i>kudoii</i>
(<i>Ericaceae</i>)	<i>Wittsteinia</i>	<i>vacciniacea</i>
(<i>Blechnaceae</i>)	<i>Woodwardia</i>	<i>orientalis</i> v. <i>formosana</i> BSWJ6865

Y

(*Melanthiaceae*) *Ypsilandra* thibetica

Z

(*Araceae*) *Zantedeschia* aethiopica 'Luzon Lovely'
BSWJ3959

(*Rutaceae*) *Zanthoxylum* acanthopodium BSWJ7237
- ailanthoides BSWJ8535 etc
- armatum HWJK2178
- bungeanum HWJK2131
- faurei BSWJ11080
- nepalense HWJK2199
- piperitum BSWJ8543 etc

(*Ulmaceae*) *Zelkova* serrata BSWJ8491

(*Zingiberaceae*) *Zingiber* mioga BSWJ4379

SOME NOTES ON THIS YEAR'S INTRODUCTIONS MAINLY FROM OUR OWN WILD SEED COLLECTIONS

Woodies including climbers

Our inventory of *Acer* species is growing annually, maybe it's the influence of our collecting companions over the past decade that has opened our eyes to their merits. *A. capillipes* came to our attention in the far north of Honshu in the autumn of 2005, with its snake-bark combined with broad golden red leaves. *A. carpinifolium* had struck a chord a long time prior to finally tracking down the butter yellow parallelly ribbed leaves, that can easily fool the uninitiated in bearing no relation to a maple, once finding the thread we managed to find three collections in differing conditions of Japan. *A. cissifolium* is also a good contender for masquerading, one of our first finds of 2005, with a delicate appearance of tri-foliolate deeply serrated leaves on long slender petioles. *A. crataegifolium* we have had in the past, but not with seed that were the bright pink of our latest collection contrasting with the glossy foliage at the time. *A. oblongum* v. *concolor* is another glossy-leaved species, semi-evergreen in our British climate with unbelievably white undersides to the simple leaves. *Actinidia arguta* 'Unchae' (M) is named for our friend, who became a dad while we were in Japan in 2005, joining his wife Shoko as a named counterpart in this strawberry flavoured fruiting woody twiner. Our next climber may not be that woody, but is an endangered plant in its native Taiwan. *Aristolochia curcubitifolia* was collected by ourselves by request of the National Museum of Natural Science in Taiwan, one of many institutes that we have worked with/for over the years. As its epithet implies the foliage is not that dissimilar to a cucurbit with deeply lobed leaves and dark throated saxophone-shaped flowers. *Carpinus japonica* and its variety *cordifolia* were love at first sight, when we met in the mountains of northern Honshu in 2005. The combination of those pleated hornbeam leaves and the long catkins have an irresistible appeal, as do the other two species we collected on the same trip. *C. laxiflora* and *C. tschonoskii* both have similar attributes, but with laxer catkins. *Daphniphyllum teijsmannii* from Japan is distinct from our other collections (of this species), with a denser habit and smaller leaves, to match the drier and more exposed habitat it originates from. Forming elegant dense evergreen shrubs with wondrously bronze new growth and purple grape-like fruit. *Dendropanax trifidus* was growing at the edge of a paddy field in Japan, close to the home of a childhood friend of ours. Where it formed a small tree with a broad canopy of dark-green thick-textured deeply tri-lobed juvenile and ovate mature leaves, with terminal umbels of purple fruit on slender stalks. *Deutzia purpurascens* is another re-identification of this collection from within a disputed section of the genus, incorporating *D. calycosa*. Meanwhile *D. compacta* is a smaller species with plenty of small cup-shaped white flowers, from our last Himalayan expedition in 2002. *Dichroa yunnanensis* is more obviously in the hydrangea family, looking so much like one until you find them in fruit like we do. Which are blue berries, dark in this species, differing in inflorescence and flower from any we had seen until that time. *Euonymus japonicus* is an evergreen species with glossy dark green leaves, which we found in Shikoku, Japan, while deciduous *E. sieboldianus* and its variety *sanguineus* are from more northerly areas of Japan with larger leaves and an abundance of showy pink fruit, which split open to reveal even more colourful seed. *Fuchsia arborescens* as the name implies can be tree-like, appearing un-fuchsia-like with terminal panicles produced for most of the year. We have not had the opportunity to test its hardiness yet, but do not expect them to be too touchy as we collected the seed from around 2500m in Costa Rica. *F. hemsleyana* is also from Costa Rica, but from a higher elevation, very similar in habit to *F. microphylla* (which is another introduction for this season), selected in our collection BSWJ10478 for its grey foliage. *Hovenia dulcis*

forms a small tree with decoratively pleasant glossy foliage and a strange fleshy inflorescence which is apparently edible. *Hydrangea glabripes* is a re-identification of **BJ8188** from Sichuan, which with its white flowers fits more comfortably with this epithet. *H. involucrata* 'Viridescens' meanwhile is a charming free flowering cultivar with pale green sterile florets, contrasting extremely well with the violet fertile flowers. Dan's collection of *H. serratifolia* is distinct in bearing orange-bronze new growth a striking additional feature. *Juglans mandshurica* v. *sieboldiana* is our collection of the Japanese walnut from deep in a forest in south-west Honshu. *Lindera sericea* was a conspicuous butter-yellow leafed shrub in the autumn of 2005, the broad leaves contrasting with the dark to black slender stems and black glossy berries. We are endeavouring to introduce as many of this little known early flowering genus as we can collect. The same can be said for *Magnolia* from the northern areas of Vietnam where we are finding surprising hardiness, *M. cathcartii* is our latest offering, with naturally white flowers and evergreen foliage. *Phellodendron amurense* & *japonicum* are two small Japanese trees valued for their bark and/or foliage, although it was the fruit that caught our eye. *Philadelphus mexicana* was a lucky find at high altitude in southern Mexico in 2004, with arching branches of silvery leaves and conspicuously large calyces on the seed capsules. *Rhus ambigua*, the aerial rooting climber in its large leafed form (**BSWJ10884**), is yet another collection from the north of Honshu. Where it clothed the upright trunks of forest trees is comparatively huge trifoliate colourful foliage. *Sambucus mexicana* was only successful for us on our second attempt to germinate our collections from Guatemala, where it was grown extensively for its medicinal properties. This was hardly considered by ourselves on finding the shrubs as they were so ornamental, in leaf and especially in its large fruit, which resembled bloomy grapes. *Schefflera petelotii* is probably our most awaited introduction of the year. A spectacular hardy species which we discovered in the Fan Xi Pan area of northern Vietnam, where this most architectural of the species can reach 7 meters tall with large paddle-shaped leaflets combining to form one meter wide leaves on slender purple petioles (leaf stem). You may think that would be enough, but on emerging the entire new growth is smothered in a ginger indumentum. Unfortunately we have had to hold our plants back for quite a while (to ensure continuity of our supply). But the up side is that our plants have grown to be a good size (and price). *Solanum* **BSWJ10395** is still baffling my identification skills or is it the lack of them. Whatever it turns out to be it is showing itself to be a gorgeous shrubby species which continues to bear its large flowers all year under protection, see our web site for a photo. We were surprised to learn how rare (in cultivation) *Sorbus japonica* is, only forming shrubby trees where we encountered them in the wilds of Japan. The deeply serrated leaves are white below while ribbed above, while the plentiful fruit is red. *Stauntonia yaoshanensis* is yet another attempt to rectify naming, we took the original name of *Holboellia grandiflora* the Flora of Vietnam, only to discover it to be a *Stauntonia* on flowering. Needless to say this species is not recorded from Vietnam. *Viburnum pinchinense* and *V. venustum* are both new evergreen species to cultivation from our Central/South American collections, with white flowers contrasting with sizeable dark green leathery foliage followed by purple-black fruit. *Zanthoxylum bungeanum* annoyingly is yet another name that has been changed from something self-descriptive (*Z. nepalense*). No the new name is nothing to do with bungee-jumping. Meanwhile we have *Z. faurei* from Japan with less vicious spines and softer larger foliage as our final woody introduction for 2007.

Herbaceous or tuberous

Aconitum pseudolaevae v. *erectum* is another climbing/scandent woodlander from South Korea with luxuriously large basal leaves enhancing the strong stems which can only climb a couple of meters into a supporting shrub. Where the erect spikes of elongated white purple-tinged flowers can be seen to best effect. The Chinese *Adenophora capillaris* v. *leptosepala* is a delicate-looking plant with airy qualities bearing a cloud of small pale-blue bells on tall arching stems, while *A. triphylla* from Japan has a more layered effect with its larger flowers held on more erect stems. *Amorphophallus kiusianus* may not be on the same scale as *A. titanium*, but it is the species most likely to survive outside in the UK. It is John Massey's of Ashwood Nurseries generosity that is responsible for our stock of *Anemone pavonina*. We were so smitten by their breeding stocks we just had to try them in our gardens, impressive in John's garden where he has naturalised them into his lawn. There seems to be a sudden surge of new *Angelica* species this season (although we were selling two of them last year) ranging from the enormous *A. edulis* from Japan and **BSWJ10345** a species from Guatemala (which may be *Prionosciadium thapsoides*), graduating down through more Japanese collections of *A. ursina* at a mere two meters tall to the glossy leaved *A. anomala* before descending to *A. acutiloba* v. *iwatensis* with wide umbels only topping a meter and finally the demure *A. morii* from the high mountains of Taiwan at only half that. Herbaceous *Aralia* are encountered less frequently than their woody counterparts *A. apioides*, the popular collection made by Eric Hammond, has a welcomed identification from the long anticipated translation of this chapter of the Flora of China. Which also gives a handle to *A. kansuensis* which is a taller dark stemmed species I gathered on my only visit there. *Asarum taipingshanianum* in a yellow flowering form with small tri-lobed yellow speckled flowers held close to the ground below the intricately patterned leaves (see end of text for cultivar name). Joining our increasingly popular stable of the genus, now that we are able to grow them to sizeable plants. Two *Begonia* species are of special note this year. I fear that the demand for Eric Hammond's hardy fabulously leaf patterned *B. taliensis* will far outstrip demand. Meanwhile Sue and I were dumbfounded to find such a large leaved plant as **BSWJ10279** growing in Chiapas, Southern Mexico alongside *Gunnera*. *Bomarea* aff. *frondea* was encountered by ourselves at the edge of the paramo in Colombia where its twining stems threaded through some of the shrubs to a couple of meters, before expanding fat umbels of orange lightly spotted pendant flowers. *Cardiandra alternifolia* 'Pink Geisha' is easily our best pink flowering selection, which has taken us since 1995 to build up stocks. It has a sturdy habit with dark upright stems bearing broad lace-cap cymes of pale pink flowers. *C. formosana* 'Crûg's Abundant' & 'Hsitou Splendour' are also selected for their much larger than normal sterile florets to the hydrangea-like cymes, which are born later than the preceding species, but lasting until Christmas in our woodland garden. *Centropogon ferrugineus* and *C. valerii* have both been identified after being introduced to cultivation on our 2006 list, while *C. cordifolius* is an addition from Mexico, which looked to all the world to be a climbing *Lobelia* with bright pink elongated flowers which only differ on close inspection. *Chrysanthemum* aff. *yezoense* may well prove to be one of our most northerly collections, from sand dunes in the extreme north of Honshu where it formed prostrate mats of large white ray-flowers. Both *Cirsium kamschaticum* and *Synurus pungens* have large thistle-like flowers and lyre-heart-shaped leaves white below, forming large plants. *Clematis japonica* is seldom seen in British gardens, this will hopefully be corrected by our latest collection of this beautiful small species with elegant pink bell-flowers. *Coptis omeiensis* is also in the buttercup family, evergreen as are most of them. Which is just an additional bonus for these small woodlanders with the earliest of white *Eranthis*-like flowers, contrasting with a foil of long

fern-like leaves on this Chinese species. **Deinanthe caerulea x bifida** 'Blue Blush' is from a batch of seedlings we germinated six or so years from **D. caerulea**. The resulting plants are intermediate between the parents with large palest slaty-blue flowers with the hybrid vigour that is always welcomed. **Digitalis ikizdere** was given to us by Dan Hinkley, from Turkey. A monocarpic species which can take several years to build up to flower, making up for lost time when it does, with sheer quantity in an unusual gold colour. **Echeveria maxonii** and **E. montana** are identifications given to previously introduced species by ourselves. All the thanks for the detective work (and many others) goes to Julian Shaw Senior Registrar for the RHS. **Eryngium cymosum** in name is not new to our list (synonym for **E. guatemalense**), but this species is from Southern Mexico where the flowers are green-bronze. **Farfugium japonicum** double flowered form was introduced into cultivation through the nursery last season, all of the forms we offer have become very popular. Possibly because gardeners are finally learning that unlike **Ligularia** which they are so often mistaken for, they prefer to grow in a well drained soil in shade. **Filipendula kantschatica** is a large species which we collected seed of in the cold north of Honshu, where it formed colonies to 2 meters tall with wide panicles of white to pale pink flowers. **Isopyrum stoloniferum** is a welcomed addition for our woodland garden differing, from **I. nipponicum**, in bearing white starry flowers above the delicate foliage. Obtained from commercial source in Japan, only wish they had more species on offer as they are extremely popular, but we have collect an additional species. **Leucophysalis** is annoyingly yet another name for what should be **Physalis**. While an additional herbaceous earlier-flowering species of **Leucosceptrum japonicum** is always welcome we should have at least 2 collections from the north of Honshu to offer. **Ligularia dentata** may be a familiar plant, but wild origin representatives are highly prized, ours is from the far north of Honshu. **Maianthemum comaltepecense** replaces **M. aff. scilloideum**, as suspected this has turned out to be a new species only recently described despite being sited as originating from the area we collected it from in southern Mexico. **M. laxiflora** we have had to use a synonym as again this species does not fit into any existing mould. Growing as an epiphyte and bearing distinctly pendant inflorescences. **Mitchella undulata** has been on our list for many years, but as stated last year we have discovered it to a miniature form, whereas our latest form is a much stronger grower. **Myrrhidendron glaucescens** is our latest attempt to introduce this unusual umbellifer, this species is herbaceous from the paramo of Colombia, proving to be far more heat tolerant than our previous introductions from Costa Rica. **Persicaria amplexicaulis v. pendula** represents our collection of this colourful perennial, from Eastern Nepal with Dan Hinkley in 2002. **Polygonatum arisanense** would appear to be the correct name for **P. cyrtoneura** as this name now covers a species from China, a case of political interference we fear? **P. aff. tessellatum** is as close as we can get with the name of an epiphytic species we collected in Dalat, a highland area in the south of Vietnam. This as far as we know represents the most southerly collection of **Polygonatum** ever. **Reineckea carnea** 'Baoding Booty' is one of my collections from China, very distinct from the Japanese cultivar which is in general cultivation. As with all our newly named cultivars the descriptions will be at the end of this text, to comply with the rules of naming. **Salvia aff. holwayi** & **S. polystachya** are long awaited identifications but **S. aff. glabrescens** & **S. mexicana** were both collected from within forests (we always value shade plants). The first mentioned from Japan. No prizes for guessing where the second originated, those of you who are familiar with this large-flowered species may not be surprised to learn that both our collections grew in running water as well as shade. **Sedum linearifolium v. balfourii** is a small narrow-leafed species an unlikely collection from the mountains of North Vietnam. The first white flowering **Semiaquilegia ecalcarata** will be

'Snowbell' which again is from cultivation in Japan, a slower plant to establish than its normal counterpart. **Syneilesis aff. tagawae** is by contrast a stronger growing species, appearing similar to *S. palmatum* with larger leathery leaves where we found it growing in the forests on the slopes of Mount Fuji in 2005. **Thalictrum aquilegifolium v. sibiricum** is a collection of the high altitude form of the species with smaller white flowers on strong stems to 2m. While from the other end of the scale **T. ichangense** only forms a low creeping clump of peltate (stalk from the middle of the leaf, umbrella-like) bronzy leaves and fluffy white flowers. A collection we gathered in North Vietnam from a species that has a wide distribution as we also find it in Korea. **T. reticulatum** is my own collection from China in 2000, while it could never be described as a stunning plant we value it as a stalwart as it is one of the earliest to start flowering continuing on right through the season. **Veratrum longibracteatum** from northern Japan is a small slender green-flowered species, hopefully we will have a few of these available this year if they are large enough. As well as a similar-looking **V. maackii v. japonicum** a purple-brown flowering variety. **Zingiber mioga** was left off last year's list unfortunately as it is a wonderful little ginger which is used extensively in Japanese cuisine. This collection is from a wild population in South Korea, worth looking at the flowers (on our web-site) which are produced directly from the underground rhizomes.

New cultivar names we are introducing

***Actinidia arguta* 'Unchae' (m) & 'Shoko' (f)**

Are the cultivar names we are allocating for the male and female cultivars we have selected from our wild collection B&SWJ 569 of this species which we found in South Korea in 1993. They are named for our dear friends Unchae Im and his wife Shoko, who were both very helpful on our 2001 expedition to South Korea. They have since moved to live in Fukuoka in Japan.

***Asarum taipingshanianum* 'Elfin Yellow'**

Is a selected plant we gathered in 1993 from the mountainous area in the north of Taiwan that this species is named for. In this particular selection B&SWJ1746 the flower colour differs from the norm in being distinctly yellow overlaid with some fine dark-red brown spotting.

***Cardiandra alternifolia* 'Pink Geisha' BSWJ2803**

This is a plant originating from a collection I made on my first trip to Japan in 1995 and gathered from Mt. Kiyosumi on the Chiba Peninsular. It is a stronger growing form with dark upright stems, terminating in larger than normal cymes of pale pink, again larger than normal flowers.

***Cardiandra formosana* 'Crûg's Abundant' BSWJ3632**

Originating from a plant of this herbaceous perennial, we collected from the only known surviving population in Central Taiwan in 1996, which we have bulked-up over the years by division. This cultivar was selected for its larger than normal sterile pinkish florets subtending the violet fertile flowers on reddish stalks.

***Cardiandra formosana* 'Hsitou Splendour' BSWJ3618**

This cultivar was selected for its graceful sterile pinkish florets subtending the violet fertile flowers on pinkish stalks. Originating from a plant of this herbaceous perennial, we collected from the only known surviving population in Central Taiwan in 1996, which we have bulked-up over the years by division.

***Clematis repens* 'Bells of Emei Shan'**

This is a cultivar name given to Dan Hinkley's introduction of the species under his accession DJHC0540.

***Deinanthë caerulea* x *bifida* 'Blue Blush'**

This is a cultivar name we are giving to an uniform small batch of plants we have reared from seed of *D. caerulea* having been pollinated by *D. bifida*. The resulting seedlings are intermediate in character with some hybrid vigour causing them to be stronger plants than the normal *D. caerulea*, but with paler foliage. The flowers also differ, again slightly larger white flowers, flushed with blue, the overall appearance being pale blue.

***Hydrangea anomala* ssp. *glabra* 'Crûg Coral'**

This represents our first collection B&SWJ3117 of this subspecies which we gathered in 1996 from Taiwan. Described as usually bearing white flowers, this form has flowered a coral-pink for us on a well lit wall. Only forming an aerial rooting climber to a few meters tall.

***Reineckea carnea* 'Baoxing Booty'**

This cultivar derives from a collection I gathered from Baoxing, in Sichuan in 2000 under BWJ8152. It is distinct from all other forms of this species that we have encountered in horticulture, as the foliage is broader to spatulate only

lightly ribbed, as well as being a stronger grower.

***Schisandra grandiflora* 'Jamu' (m) & 'Lhalu' (f)**

Are the names we are allocating for the male and female clones we have selected from our wild collection B&SWJ2245 of the species we gathered in the Himalayas in 1994. They are named for our two Tibetan terriers, which the breed originates from that area. Unlike our dogs the male flower is larger, but both do have a wonderful scent.

***Semiaquilegia ecalcarata* 'Snowbell'**

Is a white flowering form of this small species, which we originally obtained from a nursery in Japan and have been improving the colour by selection for many years. The entire flower is white sometimes lightly blotched pale pink.

***Tricyrtis formosana* v. *glandosa* 'Blu-Shing Toad' BSWJ052**

We decided to slightly alter the spelling of this cultivar (from our 2006 list) to reflect its oriental origins. A relatively small form of the species probably in the variety of *glandosa* as the inflorescence has glandulose hairs. The flowers are widely funnel-shaped distinctly pink to red flushed, so heavily spotted that the spots tend to merge, borne July-September. There was also a printing error on the 2006 list, the accession number was 052, not 5525 which is a form of *T. affinis*.

***Tricyrtis formosana* 'Spotted Toad'**

A clone with distinctive foliage, which are decoratively marked with dark persistent blotches. A clone B&SWJ1769 we collected seed of from Taipingshan a cold and wet mountainous area of Northern Taiwan, in 1993.

***Tricyrtis formosana* 'Velvet Toad'**

From a collection we gathered in eastern Taiwan as RWJ10104, accompanied by Dick Hayward in 2003. A distinct clone in flower as the broader outer 3 petals are an almost solid dark red to pink colour, giving a rich velvety appearance.

To rectify my mistake in the following, described in 2006

***Tricyrtis perfoliata* 'Spring Shine' (v)**

A cultivar of this superb yellow flowering Japanese species, with gracefully arching stems to 75 cm or slightly more, clad with elegant, glossy green, bamboo-like clasping foliage, which are conspicuously yellow-centred in spring, fading over the summer months creating a perfect foil for the upward-facing open spotted flowers.

Events, Talks and Open Days at Crûg 2007

Saturday 31st March

Photography Workshop with Andrea Jones

Wednesday 11th April

***R.H.S. Garden Event**

Woodland Walk 2 – 5pm

Ticket includes tea and cake

Wednesday 25th April

A day at Crûg with Dan Hinckley,
Bleddyn and Sue

Saturday 5th May

Welsh Historic Garden Trust, Plant Fair

10am – 5pm

Sunday 27th May

National Garden Scheme Open Day

10am – 5pm

Saturday 30th June

Open Day, Fundraising for the Samaritans

Wednesday 5th September

***R.H.S. Garden Event**

Our last collecting trip to Vietnam

10.30am – 5pm

Ticket includes morning coffee and afternoon tea.

Please bring picnic lunch

***R.H.S. Garden Events**

Tickets only available in advance

from 0845 612 1253

OPENING TIMES

2007

... have changed this year!

FEBRUARY 24th – SEPTEMBER 29th


THURSDAY to SUNDAY 10am – 5pm
& BANK HOLIDAYS, FEBRUARY to JUNE

THURSDAY to SATURDAY 10am – 5pm
JULY to SEPTEMBER

Please note ... the nursery will close on
Sundays and Bank Holidays in the months of
July, August and September

Also guided tours by arrangement

How to find us:



Griffith's Crossing, Caernarfon, Gwynedd, LL55 1TU

Tel: (+44) 01248 670232

E-mail: bleddyn&sue@crug-farm.co.uk

Mail Order: mailorder@crug-farm.co.uk

Descriptive catalogue: www.crug-farm.co.uk

Mail Order: www.mailorder.crug-farm.co.uk

Proprietors: Bleddyn & Sue Wynn-Jones